



CAR CARE CATALOG

Products for interior and exterior cleaning, as well as paint protection.



CLEANING SOLUTIONS FROM BLUE & GREEN

Blue & Green AB | Phone. + 46 418 399 000 | E-mail: info@blueandgreen.se | www.blueandgreen.se

WASH

COLD DEGREASING AGENT

Degreaser Plus



Reinforced low-aromatic cold degreasing agent. Effectively dissolves oil, tar, asphalt, and salt while being gentle. Works excellently even on wet surfaces. Approved by Kemikaliesvepet SE.

213002 – 1L 213005 – 5L
213025 – 25L 213200 – 200L
213700 – 1000L

Degreaser Wet Tixo



Highly effective petroleum-based cold degreaser for all types of vehicles. It works equally well on both wet and dry surfaces. It quickly dissolves oil, tar, asphalt, and other dirt.

201804 – 1L 201806 – 5L
201826 – 25L 201851 – 200L
201862 – 600L 201861 – 1000L

ALKALINE DEGREASING

Eco Wash Premium



Specially developed for cleaning tough contaminants such as oil, soot, etc. Also suitable for cleaning vegetable oils, including on forestry machinery, tank trucks, etc. The product is supplied in a highly concentrated form and should therefore be diluted with water before use. pH: 13-14.

Approved by the Nordic Swan Ecolabel.
426005 – 5L 426025 – 25L
426200 – 200L 426700 – 1000L

Pear Foam Wash



Powerful alkaline, high-foaming degreaser that can be diluted with water. Excellent for use with foam application equipment for creating foam. This product is also gentle on sensitive surfaces due to its lower pH of 11.5.

Excellent for cars, boats, camper trailers, motorhomes, etc.
433005 – 5L 433025 – 25L
433200 – 200L

OTHER CLEANING

Alkalisk Wash Blue



Used to clean most surfaces, such as all types of facades, vehicles, boats, camper trailers, trucks, machinery, floors, walls, and ceilings. The product is also recommended for use as an insect remover.

204003 – 1L 204005 – 5L
204025 – 25L 204200 – 200L
204700 – 1000L

WHEEL CLEANER

Wheel Wash Plus



Alkaline wheel cleaner. Cleans and provides the wheels with a glossy and shining surface. Removes oil-rich, ingrained dirt, brake dust, etc. The product is thickened, which allows it to adhere better to the surface and work more effectively. Approved by Kemikaliesvepet SE.

389005 – 5L 389025 – 25L
389200 – 200L 389700 – 1000L

SHAMPOO

Car Schampo High Foam



Specially developed hand shampoo for removing traffic film and other contaminants on cars, boats, camper trailers, and motorcycles without affecting wax treatment or other paint protection.

High foaming and slightly thicker shampoo.

450005 – 5L 450025 – 25L

Car Schampo High Gloss



Used as a regular shampoo and provides a water-repellent surface.

Premium shampoo.

429002 – 0,5L 429005 – 5L
429025 – 25L 429200 – 200L

Car Schampo Repellant



Used as a regular shampoo and provides a shiny and water-repellent surface.

405002 – 0,5L 405005 – 5L
405025 – 25L 405700 – 1000L

Ironman Neutral



pH-neutral cleaning solution that changes color. Designed for use on wheels with a lot of dust and externally on vehicles where particles and other dirt have adhered. Particularly effective for removing small metal particles such as, for example, splatter from studs.

Provides the wheels with a beautiful shine and protects against corrosion. Getting glossy alloy wheels after a winter season is not a problem. Also useful on painted surfaces. The car's paint is neither damaged nor dulled.

464002 – 0,5L J10023-0005 – 5L
J10023-0025 – 25L J10023-0200 – 200L

Wheel Cleaner Acid Gel



Wheel Cleaner Acid Gel is an acidic cleaning agent specially developed to remove oxidation coatings, brake dust, rust particles on wheels and vehicle bodywork. Contains oxalic acid.

256006 – 5L 256026 – 25L
256701 – 1000L

Korrotech De-rust LF



Low-foaming, acidic cleaning agent. The product is particularly effective on heavily oxidized (yellow) rims. It also works well against brake dust and minor rust deposits on painted surfaces. Contains phosphoric acid.

995018005 – 5L
995018700 – 25L

INTERIOR

Inner Clean



Interior cleaning for plastic, vinyl, and fabric.
404005 – 5L 404025 – 25L

Shine Dressing



Water-based polish to restore shine on plastic and rubber surfaces. Refreshes plastic trims and sidewalls.
399005 – 5L 399025 – 25L
399700 – 1000L

Glass Cleaner



Removes traffic film, insects, and general dirt from glass surfaces.
452002 – 0,5L
452005 – 5L

Textile Protection



Textile Protection is a ready-to-use textile impregnation product. The product forms a breathable surface protection that creates a long-lasting, durable, hygienic barrier on textiles. The treated surface becomes dirt and stain repellent, making it easy to wash away stains such as soil, coffee, and red wine. At the same time, it extends the lifespan of textiles without affecting the structure. The treated surface only needs to be cleaned with a cloth and warm water.
3871051 – 0,5L 297005 – 5L

Leather Cleaner



Used to clean and protect all types of leather.
252001 – 0,5L 252025 – 25L

EXTERIOR

Folie Remover



"Folie Remover" is used to remove old/new film, etc. "Folie Remover" is thick and does not run off vertical surfaces. It is pH-neutral and nearly odorless. Used together with the YellowBlade Handle.
221005 – 5L

YellowBlade Handle



A tool for foil removal that easily lifts foil corners, removes stickers, labels, or adhesive letters.
T YB.001

Tyre Gloss



Gloss enhancer to restore shine on plastic and rubber surfaces. Refreshes plastic trims and sidewalls.
329005 – 5L 329025 – 25L

Tyre Gloss SF



Tyre Gloss SF is a water-based and silicone-free rubber and plastic gloss. Works on most rubber and plastic surfaces, without leaving a slippery residue.
051005 – 5L

POLISHING

Onecut DA/SA



A polishing compound primarily for Dual Action (DA) polishing machines. A coarse compound that, with the right polishing pad, leaves a glossy finish. Can also be used with Single Action (SA), but with caution. Follow up with Medium Cut or Finish Cut for best results.
439002 – 0,5L

Heavy Cut DA/SA



Can be used with both Single Action (SA) or Dual Action (DA) machines along with the recommended polishing pads. Suitable for use on cars, but also boats.
441002 – 0,5L

Medium Cut DA/SA



Can be used with Single Action (SA) or Dual Action (DA) machines along with the recommended polishing pads. A polishing compound used to achieve a glossy finish while removing shadows from previous, more aggressive steps, such as One Cut or Heavy Cut.
448002 – 0,5L

Finish Cut DA/SA



Can be used with both Single Action (SA) or Dual Action (DA) machines along with the recommended polishing pads. Provides a very deep and glossy shine, and is used as the final step in polishing.
449002 – 0,5L

Surface Cleaner



A cleaning agent to remove oil and grease from hard surfaces. Used before applying film and decorations, as well as to remove residue from polish before applying paint protection.
220003 – 1L 220005 – 5L

Strawberry Wax



A creamy carnauba wax that can be used on most types of paint. Provides long-lasting and deep gloss. Can be applied by hand or with an oscillating machine. Has the scent of strawberries. Approximately 6 months of durability.
055002-0,5L

Shinemat e351-5/15



A battery-powered polishing machine with ergonomic design and low weight, low noise level, and low vibration.

Backing plate: 123 mm"
Max polishing disc: 150 mm
Stroke: 15 mm
Revolutions per minute (RPM): 2000 - 5000
Power: 18V DC
Weight: 2.1 kg
Thread: M8
Vibration: 3.761 m/s²
Sound: 78.5 dB
T 49215

Shinemat EX 610-21



An oscillating polishing machine with a 21 mm stroke length. Exceptionally gentle on the paint as the temperature does not rise high. Therefore, sensitive parts of the paint can be polished without the risk of overheating or burning.

Backing plate: 150 mm
Max polishing disc: 180 mm
Strok: 21 mm
Revolutions per minute (RPM): 2500 – 4500
Power: 500/750
Weight: 2,6 kg
Thread: M8
Vibration: 4,122 m/s²
Sound:83,2 dB
T 492130

Shinemate EX 610-15



Oscillating polishing machine with 15 mm stroke length. Gentle on the paint as the temperature does not rise high. Sensitive parts of the paint can therefore be polished without the risk of overheating or burning.

Backing plate: 123 mm
 Max polishing disc: 150 mm
 Strok: 15 mm
 Revolutions per minute (RPM): 2500 – 4501
 Power: 500/751
 Weight: 2,6 kg
 Thread: M8
 Vibration: 4,105 m/s²
 Sound: 83,1 dB
 T 492140

Shinemate polermaskin EP802



For professional paint treatment. Ergonomically designed to minimize the risk of strain injuries for the user.

Backing plate: 148 mm
 Max polishing disc: 200 mm
 Strok: ROT
 Revolutions per minute (RPM): 700 – 2501
 Power: 1050/1501
 Weight: 2,2 kg
 Thread: M15
 Vibration: 1,83 m/sek131
 Sound: 85 dB
 T 492152

Shinemate 18V Li-ion Battery Pack 5 ah



Battery for cordless polishing machine. Thanks to fast-charging, high-capacity batteries, long operating time without interruptions is guaranteed. 18V battery for ShineMate Cordless EB351 series and EB251 series.

UP TO 45 MINUTES OF POLISHING TIME ON ONE BATTERY!
 T 492090

Shinemate 18V Snabbladdare Duo



Battery charger for cordless polishing machine. Thanks to fast-charging, high-capacity batteries, you get long operating time without interruptions.
 Fast charging - maximum 45 minutes charging time.
 Double battery charger that charges two batteries sequentially, saving time for efficient work.
 Model: BC 184
 T 492095

Microwool Hard Beige 165/155



A microfiber pad with excellent properties for removing even deeper scratches.
 Artnr. T P020

Microwool Medium Grey 165/155



A microfiber pad with properties for removing scratches while providing a deep gloss.
 Artnr. T P019

Microwool Soft White 165/155



"
 Microwool pad with the ability to remove shadows and increase depth of gloss."
 Artnr. T P018

Foam X-Soft Black 100mm 25mm



A polishing pad based on foam rubber with very soft foam. Suitable for sensitive paint surfaces.
 100 mm
 Artnr. T P009

**Foam Medium Yellow
100 mm 25 mm**



A polishing pad based on foam rubber for minor scratches and enhancement of gloss. 100 mm
Artnr. T P014

**Foam Medium Yellow
130 mm 25mm**



A polishing pad based on foam rubber for minor scratches and enhancement of gloss. 130 mm
Artnr. T P015

**Foam Soft Black
130mm 25mm**



A foam-based polishing pad with very soft foam. Suitable for sensitive paint surfaces. 130 mm
Artnr. T P007

**Foam Edge X-hard
140/130 15mm**



Polishing pad developed for oscillating polishing machine. Hard foam pad for scratch removal. 140 mm
Artnr. T P011

**Medium Yellow Pro
150/130 25mm**



A foam-based polishing pad for minor scratches and enhancement of gloss. 150/130 mm
Artnr. T P004

**Super Hard Blue
150/130 25mm**




A foam-based polishing pad with hard material to withstand heat and remove scratches. 150/130 mm
Artnr. T P008

**Foam Edge Soft Blue
150/130 25mm**



A foam-based polishing pad focused on enhancing gloss. 150/130 mm
Artnr. T P001

**Foam Edge X-Hard
175/155 25mm**



A foam-based polishing pad with hard material to withstand heat and remove scratches. 175/155 mm 175/155 mm
Artnr. T P012

**Foam Edge Soft Blue
175/155 25mm**



A foam-based polishing pad focused on enhancing gloss. 175/155 mm
Artnr. T P016

**Foam Edge Medium Yellow
175/155 25mm**



A foam-based polishing pad for minor scratches and enhancement of gloss. 175/155 mm
Artnr. T P005

**Foam X-soft Black
180mm 30mm**



A foam-based polishing pad with very soft foam. Suitable for sensitive paint surfaces. 180 mm
Artnr. T P010

**Foam Medium Yellow
180 30mm**



A foam-based polishing pad for minor scratches and enhancement of gloss. 180 mm.
Artnr. T P013

PROTECTION

Ceramic Spray



Gloss-enhancing ceramic spray. The product can be used on dry paint, plastic, rubber, film, etc.
258002 – 0,5L
258005 – 5L

Ceramic Coat 2k



2-step ceramic protection for painted surfaces. The protection creates a glossy and dirt-repellent surface.
4340001 – Step 1 – 100ML
4360001 – Step 2 – 100ML

Ceramic Alloy Rim Coat



Ceramic protection for painted wheels. The product protects the wheel's painted surface. The protection creates a dirt-repellent surface.
4380001 – 100ML

Ceramic Plastic Coat



Ceramic protection for plastic and vinyl. Protects and restores the surface of plastic. The protection creates a dirt and water repellent surface.
4370001 – 100ML

Banana Shield



Gloss-enhancing agent. Used after the car has been washed and is still wet. The product enhances the gloss and makes the surface easier to wash.
342002 – 0,5L
342005 – 5L
342025 – 25L
342200 – 200L

Glass Coating



Glass Coating is a product that primarily provides a glare-free glass surface in darkness and rain. The surface also becomes water-repellent. After treatment, the surface is easier to keep clean. It is suitable for all glass surfaces such as cars, buses, trucks, trains, etc.
3871054 – 0,5L

Certificate: Ceramic Coat EN

Certificate for professional use - Application of Paint Protection and Maintenance Instructions T 901



Ceramic OneCoat



Ceramic protection for painted surfaces. Protects the car's paint and preserves its shine. The protection creates a dirt- and water-repellent surface.
43500005 – 50ML

Pump Bottle 1.5 liters



Chemical applicator for alkaline and naphtha-based products. Adjustable nozzle and made of impact-resistant plastic. Can be pumped with a hand pump or filled with compressed air.

T 496956

Wheel & Rim Brush



Brush developed for cleaning engine parts, but also works excellently for wheel rims. Made of durable polyether plastic.

Works excellently with both acid, naphtha, and alkaline cleaning agents. Designed to reach most areas that require mechanical cleaning. Rinse thoroughly after use to maintain the brush's function over time.

T 599.100.100

Microfiber cloth fluffy silver 38 x 38 cm



Microfiber cloth without seams on the edges, extra soft. Great for wiping off most types of polish, wax on car paint. Very user-friendly and effective for drying off ceramic paint protections

T 620.200.001

Microfiber cloth blue 40x80 cm



A large cleaning microfiber cloth for various tasks, including windows, paint, and other hard surfaces. The size 40 x 80 cm means you don't need to replace it as often. Excellent cleaning effect thanks to its unique waffle pattern.

T 615.900.450

Microfibre Cloth Tricot Soft Blue 40x40cm (5 pack)



Microfiber Cloth Tricot Soft Blue 40x40cm is a knitted terry cloth with excellent cleaning properties.

The cloth's excellent absorption and wiping ability make it well-suited for wiping off polish/wax on painted surfaces, as well as cleaning interior details of the car.

T 619.900.334


Car Towel 60x60 Grey



An effective microfiber 'suede cloth' with good absorption capacity.

T103007

Tvättsvamp Gul 190x110x50mm



Yellow washing sponge without shampoo.

T 5862

Melamine Magic Sponge (10 pcs)



Miracle sponge for removing various stains. Dampen lightly and remove stains from heel marks on car interiors, as well as other stains on most materials, plastic, wood, walls, etc.

T 250.100.100


Vax- applicatorsvamp blå 125x74x30 mm



A sponge for application of vinyl gloss and wax, among other things.

T VAXBL125-PRO

Svamp Grå Våfflad



A washing sponge with a waffle-patterned cleaning surface.

T BL50GV20015ER

Clay Magic Blue



A gentle cleaning clay that easily removes airborne rust, paint dust, and other particles on painted surfaces, glass, and smooth plastic.

661015

Applicator for paint protection



Applicator pads with a surface of special nonwoven microfiber. Perfect for applying ceramic paint sealant. Provides a thin, even layer without causing micro-scratches.

T 121210

OTHER

Odour Killer



Quickly and effectively eliminates and neutralizes a wide range of unpleasant odors in a natural way.

3871050 – 0,5L

394005 – 5L

394025 – 25L

Graffiti Remover



Used to remove graffiti on hard, color-fast surfaces such as laminate, glass, metal, tiles, etc. Effectively dissolves markers, ink, spray paint, gold/silver pen, and also removes shadows. Also works well for removing adhesive residue from painted surfaces.

253005 – 5L

3871046 – 0,5L

Chewing Gum Remover



For removing chewing gum residue on hard and soft, color-fast surfaces.

- pH-neutral
- Can be used on most surfaces without causing damage.
- Give quick results

3871048 – 0,5L

WINDSHIELD WASHER FLUID

Concentrated windshield washer fluid

Dilute with water to the desired freezing point. Pour the product into the vehicle's windshield washer fluid reservoir.

Freezing point 1:1 approximately -29°C.

Freezing point 1:2 approximately -18°C.

Available in the packaging 4L, 25L, 208L, 1000L





We explain!

Let it stand!

- ✓ Basics of cleaning
- ✓ Chemistry and cleaning
- ✓ Brief about pH value
- ✓ Different types of degreasers
- ✓ Easily biodegradable??
- ✓ Biobased

Blue & Green








BLUE AND GREEN CLEANING SOLUTIONS

Blue & Green AB | Phone. + 46 418 399 000 | E-mail: info@blueandgreen.se | www.blueandgreen.se























On blueandgreen.se/en you can find articles and educational materials that you can read or download.

	Dry/Wet car Asphalt, Salt, Tar	Wet car Asphalt, Salt, Tar	Common dirt, dust, bird droppings, tree debris
Degreaser Plus			
Degreaser Wet Tixo			
Eco Wash Premium			
Pear Foam Wash (11,5 pH)			
Alkalisk Wash Blue			
Wheel Wash Plus			
Ironman Neutral (pH Neutral)			
Wheel Cleaner Acid Gel (oxalic acid)			
Korrotech De-rust LF (Phosphoric acid)			

RE GUIDE

ASH

Insects	Wheel brake dust	Wheel Oxidation	Studded tires/Rust
●			
●			
●			
	●		
	●	●	●
		●	●
		●	●

Solution ▶ ▼ Problem	Polish					Polishing machine	
	One Cut	500 Cut	Heavy Cut	Medium Cut	Fine Cut	Rotary single machine	Oscillating machine 15+22
Deep scratches							
							
Wash marks oxidation							
							
Minor scratches							
							
Shadows							
							
Finishing - polish							
Gloss-polishing							

RE GUIDE SHING

Polishing pad

Microwool Hard Beige 165/155 Artnr. T P020	Microwool Medium Grey 165/155 Artnr. T P018	Microwool Soft White 165/155 Artnr. T P018	Super Hard Blue 150/130 Artnr. T P008	Medium Yellow Pro 150/130 Artnr. T P004	Foam Edge Soft Blue 150/130 Artnr: T P001	Foam X-soft Black 180mm Artnr: T P010
●						
			●			
	●					
			●			
	●					
				●		
		●				
				●		
					●	
						●



Experts in cleaning agents for the professional market

We have one of the market's widest product ranges – and with many years of experience in both development, production and sales of effective cleaning products – which we sell to the European market. The head office is in Sweden, with sales offices in Denmark and Norway as well as an extensive network of dealers.

Philosophy

Blue & Green aims to deliver products of the highest quality at the right price - with the least possible environmental impact. We have a great focus on the environmental impact when we develop and produce our product range. It is important to us that our products are efficient in our customers application with the least environmental impact.

That is why we have several different environmental labels on a large part of our products and that we are ISO certified. At the same time we are connected to the Swedish circular packaging system, as we think it is crucial to recycle our packaging so that our products impact to the environment has as little impact as possible.

More information about our products

Read more about our products on our website
<https://blueandgreen.se/en/produkter/>

