

# SAFETY DATA SHEET

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Trade name**

Brick & Tile Cleaner

**Product no.**

-

**REACH registration number**

Not applicable

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses of the substance or mixture**

Cleaning liquid

**Uses advised against**

-

The full text of any mentioned and identified use categories are given in section 16

### 1.3. Details of the supplier of the safety data sheet

**Company and address**

Blue & Green AB

Stenorsvägen 52

261 44 Landskrona

Sweden

Tfn: +46 418 399000

Fax: +46 418 13199

www.blueandgreen.se

**E-mail**

info@blueandgreen.se

**SDS date**

2021-04-27

**SDS Version**

2.0

### 1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures".

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Skin Corr. 1B; H314

Eye Dam. 1; H318

See full text of H-phrases in section 2.2.

### 2.2. Label elements

**Hazard pictogram(s)****Signal word**

Danger

**Hazard statement(s)**

Causes severe skin burns and eye damage. (H314)

**Precautionary statements**

General

If medical advice is needed, have product container or label at hand. (P101).

According to EC-Regulation 2015/830

<b>Prevention</b>	Keep out of reach of children. (P102). Do not breathe mist/vapours/fume/spray. (P260). Wash hands/exposed skin thoroughly after handling. (P264).
<b>Response</b>	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. (P303+P361+P353).
<b>Storage</b>	-
<b>Disposal</b>	Dispose of contents/container to an approved waste disposal plant. (P501).

**Identity of the substances primarily responsible for the major health hazards**

orthophosphoric acid; methyl dihydrogen phosphate; Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched

**Additional labelling**

Not applicable

**Unique formula identifier (UFI)**

U39T-3NDH-F00M-DS81

**2.3. Other hazards**

Not applicable

**Additional warnings**

Tactile warning. If this product is sold in retail, it must be delivered with child-resistant fastening.

**VOC (volatile organic compound)**

Not applicable

**SECTION 3: Composition/information on ingredients**

**3.1/3.2. Substances/Mixtures**

NAME: 2-(2-butoxyethoxy)ethanol  
 IDENTIFICATION NOS.: CAS-no: 112-34-5 EC-no: 203-961-6 REACH-no: 01-2119475104-44 Index-no: 603-096-00-8  
 CONTENT: 5 - <10%  
 CLP CLASSIFICATION: Eye Irrit. 2  
 H319  
 NOTE: L

NAME: orthophosphoric acid  
 IDENTIFICATION NOS.: CAS-no: 7664-38-2 EC-no: 231-633-2 REACH-no: 01-2119485924-24 Index-no: 015-011-00-6  
 CONTENT: 2.5 - <5%  
 CLP CLASSIFICATION: Met. Corr. 1, Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1  
 H290, H302, H314, H318  
 NOTE: L

NAME: methyl dihydrogen phosphate  
 IDENTIFICATION NOS.: CAS-no: 812-00-0 EC-no: 212-379-1  
 CONTENT: 2.5 - <5%  
 CLP CLASSIFICATION: Skin Corr. 1B  
 H314

NAME: Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched  
 IDENTIFICATION NOS.: CAS-no: 69011-36-5 EC-no: 931-138-8 REACH-no: -  
 CONTENT: 1 - <2.5%  
 CLP CLASSIFICATION: Acute Tox. 4, Eye Dam. 1  
 H302, H318

NAME: beta-alanin, N-kokos-alkylderivater, natriumsalte  
 IDENTIFICATION NOS.: CAS-no: 68608-68-4 EC-no: 271-795-1  
 CONTENT: 1 - <2.5%  
 CLP CLASSIFICATION: Eye Irrit. 2  
 H319

(\* ) L = European occupational exposure limit. See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

**Other information**

ATEmix(oral) > 2000  
 Eye Cat. 1 Sum = Sum(Ci/S(G)CLi) = 2.9704 - 4.4556  
 Skin Cat. 2 Sum = Sum(Ci/S(G)CLi) = 7.4 - 11.1

Detergent:  
 < 5%: PHOSPHATES, NON-IONIC SURFACTANTS, AMPHOTERIC SURFACTANTS

According to EC-Regulation 2015/830

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. The doctor can contact The National Poisons Information Service: Dial 0344 892 0111 (24 h service). Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### Inhalation

Bring the person into fresh air and stay with him/her.

#### Skin contact

Immediately remove contaminated clothing and shoes. Ensure that skin, which has been exposed to the material, is washed thoroughly with soap and water.

#### Eye contact

Remove contact lenses. Flush eyes with plenty of water or salt water (20-30°C) for at least 15 minutes and continue until irritation stops. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing.

#### Ingestion

In the case of ingestion, contact a doctor immediately and bring the safety data sheet or label. If the person is conscious, give them water. DO NOT try to induce vomiting, unless this is recommended by a doctor. Hold head facing down to prevent vomit returning to the mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.

#### Burns

Not applicable

### 4.2. Most important symptoms and effects, both acute and delayed

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, -irritations and burns in the respiratory organs -as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

### 4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned: Get immediate medical advice/attention.

#### Information to medics

Bring this safety data sheet.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Recommended: alcohol-resistant foam, carbonic acid, powder, water mist.

### 5.2. Special hazards arising from the substance or mixture

Nothing special

### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

### 6.2. Environmental precautions

No specific requirements.

### 6.3. Methods and material for containment and cleaning up

Use sand, sawdust, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations.

### 6.4. Reference to other sections

See section on "Disposal considerations" in regard of handling of waste. See section on 'Exposure controls/personal protection' for protective measures.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

According to EC-Regulation 2015/830

Smoking, storage of tobacco, consumption and storage of food or liquids are not allowed in the workrooms. See section on 'Exposure controls/personal protection' for information on personal protection. Avoid direct contact with the product.

**7.2. Conditions for safe storage, including any incompatibilities**

Always store in containers of the same material as the original container. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

**Storage temperature**

Room temperature 18 to 23°C

**7.3. Specific end use(s)**

This product should only be used for applications quoted in section 1.2

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**OEL**

orthophosphoric acid

Long-term exposure limit (8-hour TWA reference period): - ppm | 1 mg/m<sup>3</sup>

Short-term exposure limit (15-minute reference period): - ppm | 2 mg/m<sup>3</sup>

2-(2-butoxyethoxy)ethanol

Long-term exposure limit (8-hour TWA reference period): 10 ppm | 67,5 mg/m<sup>3</sup>

Short-term exposure limit (15-minute reference period): 15 ppm | 101.2 mg/m<sup>3</sup>

**DNEL / PNEC**

DNEL (2-(2-butoxyethoxy)ethanol): 83 mg/kg

Exposure: Dermal

Duration of Exposure: Long term – Systemic effects - Workers

DNEL (2-(2-butoxyethoxy)ethanol): 67.5 mg/m<sup>3</sup>

Exposure: Inhalation

Duration of Exposure: Long term – Systemic effects - Workers

DNEL (2-(2-butoxyethoxy)ethanol): 67.5 mg/m<sup>3</sup>

Exposure: Inhalation

Duration of Exposure: Long term – Local effects - Workers

DNEL (2-(2-butoxyethoxy)ethanol): 5 mg/kg bw/d

Exposure: Oral

Duration of Exposure: Long term – Systemic effects - General population

DNEL (2-(2-butoxyethoxy)ethanol): 50 mg/kg bw/d

Exposure: Dermal

Duration of Exposure: Long term – Systemic effects - General population

DNEL (2-(2-butoxyethoxy)ethanol): 40.5 mg/m<sup>3</sup>

Exposure: Inhalation

Duration of Exposure: Long term – Local effects - General population

DNEL (2-(2-butoxyethoxy)ethanol): 101.2 mg/m<sup>3</sup>

Exposure: Inhalation

Duration of Exposure: Short term – Local effects - Workers

DNEL (2-(2-butoxyethoxy)ethanol): 40.5 mg/m<sup>3</sup>

Exposure: Inhalation

Duration of Exposure: Long term – Systemic effects - General population

DNEL (2-(2-butoxyethoxy)ethanol): 60.7 mg/m<sup>3</sup>

Exposure: Inhalation

Duration of Exposure: Short term – Local effects - General population

DNEL (orthophosphoric acid): 1 mg/m<sup>3</sup>

Exposure: Inhalation

Duration of Exposure: Long term – Local effects - Workers

DNEL (orthophosphoric acid): 10.7 mg/m<sup>3</sup>

Exposure: Inhalation

Duration of Exposure: Long term – Systemic effects - Workers

DNEL (orthophosphoric acid): 2 mg/m<sup>3</sup>

Exposure: Inhalation

According to EC-Regulation 2015/830

Duration of Exposure: Short term – Local effects - Workers

DNEL (orthophosphoric acid): 0.36 mg/m<sup>3</sup>

Exposure: Inhalation

Duration of Exposure: Long term – Local effects - General population

DNEL (orthophosphoric acid): 4.57 mg/m<sup>3</sup>

Exposure: Inhalation

Duration of Exposure: Long term – Systemic effects - General population

DNEL (orthophosphoric acid): 0.1 mg/kg bw/d

Exposure: Oral

Duration of Exposure: Long term – Systemic effects - General population

PNEC (2-(2-butoxyethoxy)ethanol): 200 mg/l

Exposure: Sewage Treatment Plant

PNEC (2-(2-butoxyethoxy)ethanol): 0.44 mg/kg dw

Exposure: Marine water sediment

PNEC (2-(2-butoxyethoxy)ethanol): 4.4 mg/kg dw

Exposure: Freshwater sediment

PNEC (2-(2-butoxyethoxy)ethanol): 1 mg/l

Exposure: Freshwater

PNEC (2-(2-butoxyethoxy)ethanol): 0.1 mg/l

Exposure: Marine water

PNEC (2-(2-butoxyethoxy)ethanol): 3.9 mg/l

Exposure: Intermittent release

PNEC (2-(2-butoxyethoxy)ethanol): 0.32 mg/kg dw

Exposure: Soil

## 8.2. Exposure controls

Compliance with the accepted occupational exposure limits values should be controlled on a regular basis.

### General recommendations

Observe general occupational hygiene standards.

### Exposure scenarios

There is no appendix to this safety data sheet.

### Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

### Appropriate technical measures

Ensure emergency eyewash and -showers are clearly marked.

### Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

### Measures to avoid environmental exposure

Keep containment materials near the workplace. If possible, collect spillage during work.

### Individual protection measures, such as personal protective equipment



#### Generally

Use only CE marked protective equipment.

#### Respiratory Equipment

No specific requirements.

#### Skin protection

Dedicated work clothing should be worn. Wear a protective suit in the event of prolonged periods of work with the product.

#### Hand protection

According to EC-Regulation 2015/830

Nitrile rubber  
Breakthrough time: > 480 minutes (Class 6)

**Eye protection**

Wear safety glasses with side shields.

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

Form	Liquid
Colour	Colourless
Odour	Mild
Odour threshold (ppm)	No data available.
pH	1
Viscosity (40°C)	No data available.
Density (g/cm <sup>3</sup> )	1.05

**Phase changes**

Melting point (°C)	No data available.
Boiling point (°C)	~100
Vapour pressure	No data available.
Decomposition temperature (°C)	No data available.
Evaporation rate (n-butylacetate = 100)	No data available.

**Data on fire and explosion hazards**

Flash point (°C)	No data available.
Ignition (°C)	No data available.
Auto flammability (°C)	No data available.
Explosion limits (% v/v)	No data available.
Explosive properties	No data available.

**Solubility**

Solubility in water	Soluble
n-octanol/water coefficient	No data available.

**9.2. Other information**

Solubility in fat (g/L)	No data available.
-------------------------	--------------------

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

No data available

**10.2. Chemical stability**

The product is stable under the conditions, noted in the section "Handling and storage".

**10.3. Possibility of hazardous reactions**

Nothing special

**10.4. Conditions to avoid**

Nothing special

**10.5. Incompatible materials**

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

**10.6. Hazardous decomposition products**

The product is not degraded when used as specified in section 1.

**SECTION 11: Toxicological information**

**11.1. Information on toxicological effects**

**Acute toxicity**

Substance: Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched  
Species: Rabbit  
Test: LD50  
Route of exposure: Dermal  
Result: >2000 mg/kg

Substance: Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched  
Species: Rat  
Test: LD50  
Route of exposure: Oral  
Result: 300-2000 mg/kg

According to EC-Regulation 2015/830

Substance: orthophosphoric acid  
Species: Rat  
Test: LD50  
Route of exposure: Oral  
Result: 300-2000 mg/kg

Substance: 2-(2-butoxyethoxy)ethanol  
Species: Rabbit  
Test: LD50  
Route of exposure: Dermal  
Result: 2764 mg/kg

Substance: 2-(2-butoxyethoxy)ethanol  
Species: Mouse  
Test: LD50  
Route of exposure: Oral  
Result: 2410 mg/kg

Substance: 2-(2-butoxyethoxy)ethanol  
Species: Rat  
Test: LD50  
Route of exposure: Oral  
Result: >2000 mg/kg

Substance: 2-(2-butoxyethoxy)ethanol  
Species: Rat  
Test: LC50  
Route of exposure: Inhalation  
Result: >29 ppm 2h

**Skin corrosion/irritation**

Causes severe skin burns and eye damage.

Data on substance: 2-(2-butoxyethoxy)ethanol  
Test: OECD Guideline 404  
Organism: Rabbit  
Result: not irritating

Data on substance: beta-alanin, N-kokos-alkylderivater, natriumsalte  
Test: OECD Guideline 404  
Result: Inte irriterande

**Serious eye damage/irritation**

Causes serious eye damage.

Data on substance: 2-(2-butoxyethoxy)ethanol  
Test: OECD Guideline 404  
Organism: Rabbit  
Result: irritating

**Respiratory or skin sensitisation**

Data on substance: 2-(2-butoxyethoxy)ethanol  
Test: OECD Guideline 406  
Organism: Guinea pig  
Result: Negative

**Germ cell mutagenicity**

Data on substance: Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched  
No adverse effect observed.

**Carcinogenicity**

Data on substance: Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched  
No adverse effect observed.

**Reproductive toxicity**

Data on substance: Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched  
No adverse effect observed.

**STOT-single exposure**

No data available.

**STOT-repeated exposure**

No data available.

**Aspiration hazard**

No data available.

**Long term effects**

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, -irritations and burns in the respiratory organs -as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.



According to EC-Regulation 2015/830

## SECTION 12: Ecological information

### 12.1. Toxicity

Substance: beta-alanin, N-kokos-alkyldriverater, natriumsalte  
Species: Daphnia  
Test: EC50  
Duration: 48h  
Result: 97,5mg/l

Substance: beta-alanin, N-kokos-alkyldriverater, natriumsalte  
Species: Fish  
Test: NOEC  
Duration:  
Result: 10,7mg/l

Substance: beta-alanin, N-kokos-alkyldriverater, natriumsalte  
Species: Algae  
Test: EC50  
Duration: 72h  
Result: 18mg/l

Substance: Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched  
Species: Daphnia  
Test: EC10  
Duration: 21d  
Result: 2.6 mg/l

Substance: Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched  
Species: Daphnia  
Test: EC50  
Duration: 48h  
Result: >1-10 mg/l

Substance: Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched  
Species: Fish  
Test: LC50  
Duration: 96h  
Result: 10-100 mg/l

Substance: Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched  
Species: Algae  
Test: EC50  
Duration: 72h  
Result: >1-10 mg/l

Substance: orthophosphoric acid  
Species: Daphnia  
Test: EC50  
Duration: 48h  
Result: >100 mg/l

Substance: orthophosphoric acid  
Species: Fish  
Test: LC50  
Duration: 96h  
Result: 3-3.25 mg/l

Substance: orthophosphoric acid  
Species: Algae  
Test: ErC50  
Duration: 72h  
Result: >100 mg/l

Substance: 2-(2-butoxyethoxy)ethanol  
Species: Daphnia  
Test: EC50  
Duration: 48h  
Result: >100 mg/l

Substance: 2-(2-butoxyethoxy)ethanol  
Species: Fish  
Test: LC50  
Duration: 96h



According to EC-Regulation 2015/830

Result: >100 mg/l

Substance: 2-(2-butoxyethoxy)ethanol

Species: Algae

Test: EC50

Duration: 96h

Result: >100 mg/l

### 12.2. Persistence and degradability

#### Substance

beta-alanin, N-kokos-alkylteri...  
Poly(oxy-1,2-ethanediyl), alph...  
2-(2-butoxyethoxy)ethanol

#### Biodegradability

Yes  
Yes  
Yes

#### Test

No data available  
CO2 Evolution Test  
Modified OECD  
Screening Test

#### Result

No data available  
>60%  
100%

### 12.3. Bioaccumulative potential

#### Substance

beta-alanin, N-kokos-alkylteri...  
Poly(oxy-1,2-ethanediyl), alph...  
2-(2-butoxyethoxy)ethanol

#### Potential bioaccumulation

No  
No  
No

#### LogPow

No data available  
No data available  
1

#### BCF

No data available  
No data available  
No data available

### 12.4. Mobility in soil

2-(2-butoxyethoxy)ethanol: Log Koc= 0.8703, Calculated from LogPow (High mobility potential.).

### 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

### 12.6. Other adverse effects

Nothing special

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste.

#### Waste

EWC code

-

#### Specific labelling

Not applicable

#### Contaminated packing

Contaminated packaging must be disposed of similarly to the product.

## SECTION 14: Transport information

### 14.1 – 14.4

This product is within scope of the regulations of transport of dangerous goods.

#### ADR/RID

14.1. UN number 1760  
14.2. UN proper shipping name CORROSIVE LIQUID, N.O.S.  
14.3. Transport hazard class(es) 8  
14.4. Packing group III  
Notes -  
Tunnel restriction code E

#### IMDG

UN-no. 1760  
Proper Shipping Name CORROSIVE LIQUID, N.O.S.  
Class 8  
PG\* III  
EmS F-A, S-B  
MP\*\* No  
Hazardous constituent -

#### IATA/ICAO

UN-no. 1760  
Proper Shipping Name CORROSIVE LIQUID, N.O.S.  
Class 8  
PG\* III

### 14.5. Environmental hazards

-

### 14.6. Special precautions for user

According to EC-Regulation 2015/830

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

-  
No data available

(\*) Packing group

(\*\*) Marine pollutant

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Restrictions for application**

People under the age of 18 shall not be exposed to this product cf. Council Directive 94/33/EC of 22 June 1994 on the protection of young people at work.

**Demands for specific education**

-

**Additional information**

Not applicable

**Seveso**

-

**Biocidal reg. no.**

Not applicable

**Sources**

Council Directive 94/33/EC of 22 June 1994 on the protection of young people at work.  
The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677. The Stationery Office, 2002.

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (CLP).

Regulation (EC) 1907/2006 (REACH).

**15.2. Chemical safety assessment**

No

**SECTION 16: Other information**

**Full text of H-phrases as mentioned in section 3**

H290 - May be corrosive to metals.

H302 - Harmful if swallowed.

H314 - Causes severe skin burns and eye damage.

H318 - Causes serious eye damage.

H319 - Causes serious eye irritation.

**The full text of identified uses as mentioned in section 1**

-

**Additional label elements**

Not applicable

**Other**

In accordance with Regulation (EC) No. 1272/2008 (CLP) the evaluation of the classification of the mixture is based on:

The classification of the mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP)

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

**The safety data sheet is validated by**

Viktoria Evaldsson

**Date of last essential change**

**(First cipher in SDS version)**

2021-03-12(2.0)



According to EC-Regulation 2015/830

**Date of last minor change  
(Last cipher in SDS version)**  
2021-03-12

ALPHAOMEGA. Licens nr.:4030228872, Blue & Green AB, 7.0.1.11BG  
[www.chymeia.com](http://www.chymeia.com)