

# SAFETY DATA SHEET

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

#### Trade name

Car Schampo High Gloss

#### Product no.

269

#### Unique formula identifier (UFI)

2KY5-1EWK-0A9Q-US93

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses of the substance or mixture

Car shampoo

#### Uses advised against

No special

### 1.3. Details of the supplier of the safety data sheet

#### Company and address

**Blue & Green AB**

Stenorsvägen 52

261 44 Landskrona

Sweden

+46 418 399000

www.blueandgreen.se

#### E-mail

info@blueandgreen.se

#### Revision

22/06/2022

#### SDS Version

3.0

#### Date of previous version

24/11/2021 (2.0)

### 1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).

See section 4 "First aid measures".

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Eye Dam. 1; H318, Causes serious eye damage.

Aquatic Chronic 3; H412, Harmful to aquatic life with long lasting effects.

### 2.2. Label elements

#### Hazard pictogram(s)



#### Signal word

Danger

#### Hazard statement(s)

Causes serious eye damage. (H318)

Harmful to aquatic life with long lasting effects. (H412)

#### Safety statement(s)

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

#### General

If medical advice is needed, have product container or label at hand. (P101)

Keep out of reach of children. (P102)

#### ▼ Prevention

Wear eye protection/protective gloves. (P280)

#### Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)

Immediately call a POISON CENTER/doctor. (P310)

#### Storage

-

#### Disposal

Dispose of contents/container to an approved waste disposal plant. (P501)

#### ▼ Hazardous substances

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., inner salts

1-Heptanol, 2-propyl-, 8EO

1,2-benzisothiazol-3(2H)-one

#### 2.3. Other hazards

##### Additional labelling

EUH208, Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

##### ▼ Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

### SECTION 3: Composition/information on ingredients

#### ▼ 3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., inner salts	CAS No.: 97862-59-4 EC No.: 931-296-8 REACH: Index No.:	3-5%	Eye Dam. 1, H318 (SCL: 10.0000001 %) Eye Irrit. 2, H319 (SCL: 4.0000001 %) Aquatic Chronic 3, H412	
Polydimethylsiloxane, diquatary	CAS No.: 134737-05-6 EC No.: REACH: Index No.:	1-3%	Aquatic Chronic 2, H411	
1-Heptanol, 2-propyl-, 8EO	CAS No.: 160875-66-1 EC No.: REACH: Index No.:	1-3%	Acute Tox. 4, H302 Eye Dam. 1, H318	
(2-methoxymethylethoxy)propanol	CAS No.: 34590-94-8 EC No.: 252-104-2 REACH:	1-3%		[1]

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Index No.:			
1,2-benzisothiazol-3(2H)-one	CAS No.: 2634-33-5	<0.05%	Acute Tox. 4, H302 Skin Irrit. 2, H315 Skin Sens. 1, H317 (SCL: 0.05 %) Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=1)
	EC No.: 220-120-9		
	REACH:		
	Index No.: 613-088-00-6		

-----

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

▼ **Other information**

[1] European occupational exposure limit

▼ **Labelling of contents according to Detergents Regulation (EC) No 648/2004**

< 5%

- Amphoteric surfactants
- Non-ionic surfactants
- Perfumes
- Preservation agent (BENZISOTHIAZOLINONE)

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

#### Skin contact

IF ON SKIN: Wash with plenty of water/water and soap.  
Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap.  
If skin irritation occurs: Get medical advice/attention.

#### Eye contact

Upon irritation of the eye: Remove contact lenses. Flush eyes with plenty of water or salt water (20-30°C) for at least 15 minutes and continue until irritation stops. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

#### Ingestion

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on vomited material.

#### Burns

Not applicable

### ▼ 4.2. Most important symptoms and effects, both acute and delayed

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, -irritations and burns in the respiratory organs -as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

This product contains substances that may trigger an allergic reaction to predisposed persons.

### 4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

#### Information to medics

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Bring this safety data sheet or the label from this product.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Not applicable

### 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

### 6.3. Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.

Use sand, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations.

To the extent possible cleaning is performed with normal cleaning agents. Avoid use of solvents.

### 6.4. Reference to other sections

See section 13 on "Disposal considerations" in regard of handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

It is recommended to install waste collection trays in order to prevent emissions to the waste water system and surrounding environment.

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

#### Recommended storage material

Always store in containers of the same material as the original container.

#### Storage temperature

Room temperature 18 to 23°C

#### Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

## SECTION 8: Exposure controls/personal protection

### ▼ 8.1. Control parameters

—  
(2-methoxymethylethoxy)propanol

Long term exposure limit (8 hours) (ppm): 50

Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 308

Annotations:

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Sk = Can be absorbed through the skin and lead to systemic toxicity.

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002.  
EH40/2005 Workplace exposure limits (Fourth Edition 2020).

#### ▼ DNEL

(2-methoxymethylethoxy)propanol

Duration	Route of exposure	DNEL
Long term - Systemic effects - General population	Dermal	121 mg/kg bw/day
Long term - Systemic effects - Workers	Dermal	283 mg/kg bw/day
Long term - Systemic effects - General population	Inhalation	37.2 mg/m <sup>3</sup>
Long term - Systemic effects - Workers	Inhalation	308 mg/kg
Long term - Systemic effects - General population	Oral	36 mg/kg bw/day

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., inner salts

Duration	Route of exposure	DNEL
Long term - Systemic effects - General population	Dermal	7.5 mg/kg bw/day
Long term - Systemic effects - Workers	Dermal	12.5 mg/kg bw/day
Long term - Systemic effects - General population	Inhalation	13.04 mg/m <sup>3</sup>
Long term - Systemic effects - Workers	Inhalation	44 mg/kg
Long term - Systemic effects - General population	Oral	7.5 mg/m <sup>3</sup>

#### ▼ PNEC

(2-methoxymethylethoxy)propanol

Route of exposure	Duration of Exposure	PNEC
Freshwater		19 mg/L
Freshwater sediment		70.2 mg/kg
Intermittent release		190 mg/L
Marine water		1.9 mg/L
Marine water sediment		7.02 mg/kg

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Sewage treatment plant	4168 mg/L
Soil	2.74 mg/kg
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., inner salts	
Route of exposure	Duration of Exposure
Freshwater	PNEC
Freshwater sediment	0.013 mg/L
Marine water	11.1 mg/kg dw
Marine water sediment	0.001 mg/L
Sewage treatment plant	1.11 mg/kg dw
Soil	3000 mg/L
	0.85 mg/kg dw

## 8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

### General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

### Exposure scenarios

There are no exposure scenarios implemented for this product.

### Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

### Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure emergency eyewash and -showers are clearly marked.

### Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

### Measures to avoid environmental exposure

No specific requirements

## Individual protection measures, such as personal protective equipment

### ▼ Generally

Use only UKCA marked protective equipment.

### Respiratory Equipment

No specific requirements

### Skin protection

Recommended	Type/Category	Standards
Dedicated work clothing should be worn	-	-



### Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards
Nitrile	-	-	EN374-2



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

### Eye protection

Type	Standards
Safety glasses with side shields.	EN166



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Physical state

Liquid

#### Colour

Yellowish

#### Odour / Odour threshold

Perfume

#### pH

5.5

#### ▼ Density (g/cm<sup>3</sup>)

1

#### Kinematic viscosity

Testing not relevant or not possible due to nature of the product.

#### Particle characteristics

Does not apply to liquids.

#### Phase changes

##### Melting point/Freezing point (°C)

Testing not relevant or not possible due to nature of the product.

##### Softening point/range (waxes and pastes) (°C)

Does not apply to liquids.

##### ▼ Boiling point (°C)

100

#### Vapour pressure

Testing not relevant or not possible due to nature of the product.

#### Relative vapour density

Testing not relevant or not possible due to nature of the product.

#### Decomposition temperature (°C)

Testing not relevant or not possible due to nature of the product.

#### Data on fire and explosion hazards

##### Flash point (°C)

Testing not relevant or not possible due to nature of the product.

##### Ignition (°C)

Testing not relevant or not possible due to nature of the product.

##### Auto flammability (°C)

Testing not relevant or not possible due to nature of the product.

##### Lower and upper explosion limit (% v/v)

Testing not relevant or not possible due to nature of the product.

#### Solubility

##### ▼ Solubility in water

Completely soluble

##### n-octanol/water coefficient

Testing not relevant or not possible due to nature of the product.

##### Solubility in fat (g/L)

Testing not relevant or not possible due to nature of the product.

### 9.2. Other information

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

#### Other physical and chemical parameters

No data available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No data available

#### 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

#### 10.3. Possibility of hazardous reactions

No special

#### 10.4. Conditions to avoid

No special

#### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

#### 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### ▼ Acute toxicity

Product/substance	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., inner salts
Test method	
Species	Rat
Route of exposure	Oral
Test	LD50
Result	2335 mg/kg
Other information	

Product/substance	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., inner salts
Test method	
Species	Rat
Route of exposure	Dermal
Test	LD50
Result	>620 mg/kg
Other information	

Product/substance	1-Heptanol, 2-propyl-, 8EO
Test method	
Species	Rat
Route of exposure	Oral
Test	LD50
Result	>300-2000 mg/kg
Other information	

Product/substance	(2-methoxymethylethoxy)propanol
Test method	
Species	Rat
Route of exposure	Oral
Test	LD50
Result	>5000 mg/kg
Other information	



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Product/substance	(2-methoxymethylethoxy)propanol
Test method	
Species	Rabbit
Route of exposure	Dermal
Test	LD50
Result	9510 mg/kg
Other information	
Product/substance	(2-methoxymethylethoxy)propanol
Test method	
Species	Rat
Route of exposure	Inhalation
Test	LC50
Result	3.35 mg/L
Other information	
Product/substance	1,2-benzisothiazol-3(2H)-one
Test method	
Species	Rat
Route of exposure	Dermal
Test	LD50
Result	>2000 mg/kg
Other information	
Product/substance	1,2-benzisothiazol-3(2H)-one
Test method	
Species	Mouse
Route of exposure	Oral
Test	LD50
Result	1150 mg/kg
Other information	
Product/substance	1,2-benzisothiazol-3(2H)-one
Test method	
Species	Rat
Route of exposure	Oral
Test	LD50
Result	597 mg/kg
Other information	
Product/substance	1,2-benzisothiazol-3(2H)-one
Test method	
Species	Rat
Route of exposure	Dermal
Test	LD50
Result	>2000 mg/kg engångsdos
Other information	
Product/substance	1,2-benzisothiazol-3(2H)-one
Test method	

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Species	Rat
Route of exposure	Oral
Test	LD50
Result	1020 mg/kg
Other information	

#### **Skin corrosion/irritation**

Based on available data, the classification criteria are not met.

#### **Serious eye damage/irritation**

Causes serious eye damage.

#### **Respiratory sensitisation**

Based on available data, the classification criteria are not met.

#### **Skin sensitisation**

This product contains substances that may trigger an allergic reaction to predisposed persons.

#### **Germ cell mutagenicity**

Based on available data, the classification criteria are not met.

#### **Carcinogenicity**

Based on available data, the classification criteria are not met.

#### **Reproductive toxicity**

Based on available data, the classification criteria are not met.

#### **STOT-single exposure**

Based on available data, the classification criteria are not met.

#### **STOT-repeated exposure**

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

### **11.2. Information on other hazards**

#### **Long term effects**

This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

#### **Endocrine disrupting properties**

No special

#### **Other information**

No special

## **SECTION 12: Ecological information**

### **▼ 12.1. Toxicity**

Product/substance	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., inner salts
Test method	
Species	Fish, Pimephales promelas
Compartment	
Duration	96 hours
Test	LC50
Result	1.11 mg/L
Other information	

Product/substance	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., inner salts
Test method	
Species	Daphnia, Daphnia magna
Compartment	
Duration	48 hours

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Test	EC50
Result	1.9 mg/L
Other information	
Product/substance	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., inner salts
Test method	
Species	Algae, <i>Desmodesmus subspicatus</i>
Compartment	
Duration	72 hours
Test	ErC50
Result	2.4 mg/L
Other information	
Product/substance	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., inner salts
Test method	
Species	Fish, <i>Oncorhynchus mykiss</i>
Compartment	
Duration	37 d
Test	NOEC
Result	0.135 mg/L
Other information	
Product/substance	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., inner salts
Test method	
Species	Daphnia, <i>Daphnia magna</i>
Compartment	
Duration	21 days
Test	NOEC
Result	0.3 mg/L
Other information	
Product/substance	1-Heptanol, 2-propyl-, 8EO
Test method	
Species	Fish, <i>Oncorhynchus mykiss</i>
Compartment	
Duration	96 hours
Test	LC50
Result	10-100 mg/L
Other information	
Product/substance	1-Heptanol, 2-propyl-, 8EO
Test method	
Species	Daphnia, <i>Daphnia magna</i>
Compartment	
Duration	48 hours
Test	EC50
Result	10-100 mg/L
Other information	
Product/substance	1-Heptanol, 2-propyl-, 8EO
Test method	

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Species	Algae, Scenedesmus subspicatus
Compartment	
Duration	72 hours
Test	EC50
Result	10-100 mg/L
Other information	
Product/substance	(2-methoxymethylethoxy)propanol
Test method	
Species	Fish, Poecilia reticulata
Compartment	
Duration	96 hours
Test	LC50
Result	>1000 mg/L
Other information	
Product/substance	(2-methoxymethylethoxy)propanol
Test method	
Species	Daphnia, Daphnia magna
Compartment	
Duration	48 hours
Test	EC50
Result	1919 mg/L
Other information	
Product/substance	(2-methoxymethylethoxy)propanol
Test method	
Species	Daphnia, Daphnia magna
Compartment	
Duration	22 d
Test	NOEC
Result	0.5 mg/L
Other information	
Product/substance	(2-methoxymethylethoxy)propanol
Test method	
Species	Algae, Pseudokirchneriella subcapitata
Compartment	
Duration	72 hours
Test	EC50
Result	>969 mg/L
Other information	
Product/substance	1,2-benzisothiazol-3(2H)-one
Test method	
Species	Daphnia, Daphnia magna
Compartment	
Duration	48 hours
Test	EC50
Result	2.44 mg/L

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

#### Other information

Product/substance	1,2-benzisothiazol-3(2H)-one
Test method	
Species	Fish
Compartment	
Duration	96 hours
Test	LC50
Result	0.74 mg/L
Other information	

### 12.2. Persistence and degradability

Product/substance	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., inner salts
Biodegradable	Yes
Test method	OECD 301 B
Result	91.6%

Product/substance	1-Heptanol, 2-propyl-, 8EO
Biodegradable	Yes
Test method	OECD 301 D
Result	

Product/substance	(2-methoxymethylethoxy)propanol
Biodegradable	Yes
Test method	OECD 301 F
Result	75%

### ▼ 12.3. Bioaccumulative potential

Product/substance	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., inner salts
Test method	
Potential bioaccumulation	No
LogPow	No data available
BCF	71
Other information	

Product/substance	1-Heptanol, 2-propyl-, 8EO
Test method	
Potential bioaccumulation	No
LogPow	No data available
BCF	No data available
Other information	

Product/substance	(2-methoxymethylethoxy)propanol
Test method	
Potential bioaccumulation	No
LogPow	0.0060
BCF	No data available

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

#### Other information

Product/substance	1,2-benzisothiazol-3(2H)-one
Test method	
Potential	No
bioaccumulation	
LogPow	1.4
BCF	No data available
Other information	

#### 12.4. Mobility in soil

(2-methoxymethylethoxy)propanol  
LogKoc = 0.28, High mobility potential.

#### ▼ 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

#### 12.6. Endocrine disrupting properties

No special

#### ▼ 12.7. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

This product contains substances, which may cause adverse long-term effects to the aquatic environment.

### SECTION 13: Disposal considerations

#### ▼ 13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste.  
HP 14 – Ecotoxic  
Dispose of contents/container to an approved waste disposal plant.  
Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

#### EWC code

07 06 04\* Other organic solvents, washing liquids and mother liquors

#### Specific labelling

Not applicable

#### Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

### SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

\* Packing group

\*\* Environmental hazards

#### ▼ Additional information

Not dangerous goods according to ADR, IATA and IMDG.

#### 14.6. Special precautions for user

Not applicable

#### 14.7. Maritime transport in bulk according to IMO instruments

No data available

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Restrictions for application

Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical precautions or design of the workplace needed to eliminate exposure, must be considered.

#### Demands for specific education

No specific requirements

#### SEVESO - Categories / dangerous substances

Not applicable

#### ▼ Additional information

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

#### ▼ Sources

The Management of Health and Safety at Work Regulations 1999

The Health and Safety at Work etc. Act 1974 Regulations 2013.

Regulation (EC) No 648/2004 on detergents as retained and amended in UK law.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

### 15.2. Chemical safety assessment

No

## SECTION 16: Other information

#### ▼ Full text of H-phrases as mentioned in section 3

H302, Harmful if swallowed.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H400, Very toxic to aquatic life.

H411, Toxic to aquatic life with long lasting effects.

H412, Harmful to aquatic life with long lasting effects.

#### ▼ Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWG = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

IARC = International Agency for Research on Cancer (IARC)  
IATA = International Air Transport Association  
IBC = Intermediate Bulk Container  
IMDG = International Maritime Dangerous Goods  
LogPow = logarithm of the octanol/water partition coefficient  
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
OECD = Organisation for Economic Co-operation and Development  
PBT = Persistent, Bioaccumulative and Toxic  
PNEC = Predicted No Effect Concentration  
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail  
RRN = REACH Registration Number  
SCL = A specific concentration limit  
SVHC = Substances of Very High Concern  
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure  
STOT-SE = Specific Target Organ Toxicity - Single Exposure  
TWA = Time weighted average  
UN = United Nations  
UVBC = Unknown or variable composition, complex reaction products or of biological materials  
VOC = Volatile Organic Compound  
vPvB = Very Persistent and Very Bioaccumulative

▼ **Additional information**

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The classification of the substance/mixture in regard of environmental hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

▼ **The safety data sheet is validated by**

Åsa Möller

**Other**

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en