SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Eco Shine n Dry

Product no.

89

Unique formula identifier (UFI)

9WJ4-8R8M-J002-7RDW

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Drying agent

Uses advised against

No special

1.3. Details of the supplier of the safety data sheet

Company and address

Blue & Green AB
Stenorsvägen 52
261 44 Landskrona
Sweden
+46 418 399000
www.blueandgreen.se

E-mail

info@blueandgreen.se

Revision

05/04/2022

SDS Version

1.0

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).
See section 4 “First aid measures”.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Eye Irrit. 2; H319, Causes serious eye irritation.

2.2. Label elements

Hazard pictogram(s)

Signal word

Warning

Hazard statement(s)

Causes serious eye irritation. (H319)

Safety statement(s)

General

If medical advice is needed, have product container or label at hand. (P101)
Keep out of reach of children. (P102)

Prevention

Wear eye protection/protective gloves. (P280)

Wash hands thoroughly after handling. (P264)

Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)

If eye irritation persists: Get medical advice/attention. (P337+P313)

Storage

-

Disposal

-

Hazardous substances

No special

2.3. Other hazards

Additional labelling

Not applicable

Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
2-(2-butoxyethoxy)ethanol	CAS No.: 112-34-5 EC No.: 203-961-6 REACH: 01-2119475104-44 Index No.: 603-096-00-8	5-10%	Eye Irrit. 2, H319	[1], [3]
Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	CAS No.: 1335202-95-3 EC No.: 931-216-1 REACH: 01-2119472309-33 Index No.:	5-10%	Skin Irrit. 2, H315 Eye Irrit. 2, H319	
Citric acid	CAS No.: 5949-29-1 EC No.: 201-069-1 REACH: Index No.:	1-3%	Eye Irrit. 2, H319	
Hydrocarbons, C13-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics	CAS No.: EC No.: 928-253-0 REACH: 01-2119485032-45 Index No.:	1-3%	EUH066 Asp. Tox. 1, H304	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[1] European occupational exposure limit

[3] According to UK REACH, Annex XVII, the substance is subject to restrictions.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

Eye contact

Upon irritation of the eye: Remove contact lenses. Flush eyes immediately with plenty of water or isotonic water (20-30°C) for at least 5 minutes and continue until irritation stops. Make sure to flush under upper and lower eyelids. If irritation continues, contact a doctor. Continue flushing during transport.

Ingestion

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on vomited material.

Burns

Not applicable

4.2. Most important symptoms and effects, both acute and delayed

This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Not applicable

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No specific requirements

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

6.3. Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.

Use sand, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations.

To the extent possible cleaning is performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 on “Disposal considerations” in regard of handling of waste.
See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.
See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers and store protected from moisture and light. Containers should be dated when opened and tested periodically for the presence of peroxides. Do not exceed storage time limits.
Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

Always store in containers of the same material as the original container.

Storage temperature

Room temperature 18 to 23°C

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

—
2-(2-butoxyethoxy)ethanol
Long term exposure limit (8 hours) (ppm): 10
Long term exposure limit (8 hours) (mg/m³): 67,5
Short term exposure limit (15 minutes) (ppm): 15
Short term exposure limit (15 minutes) (mg/m³): 101,2

—
propan-2-ol
Long term exposure limit (8 hours) (ppm): 400
Long term exposure limit (8 hours) (mg/m³): 999
Short term exposure limit (15 minutes) (ppm): 500
Short term exposure limit (15 minutes) (mg/m³): 1250

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020).

DNEL

Product/substance	2-(2-butoxyethoxy)ethanol
DNEL	67.5 mg/m³
Route of exposure	Inhalation
Duration	Long term – Local effects - Workers

Product/substance	2-(2-butoxyethoxy)ethanol
DNEL	6,25 mg/kg bw/day
Route of exposure	Oral
Duration	Long term – Systemic effects - General population

Product/substance	2-(2-butoxyethoxy)ethanol
DNEL	101.2 mg/m³
Route of exposure	Inhalation

Duration	Short term – Local effects - Workers
Product/substance	Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized
DNEL	7.5 mg/kg bw/day
Route of exposure	Oral
Duration	Long term – Systemic effects - General population
Product/substance	Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized
DNEL	312.5 mg/kg bw/day
Route of exposure	Dermal
Duration	Long term – Systemic effects - Workers
Product/substance	Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized
DNEL	187.5 mg/kg bw/day
Route of exposure	Dermal
Duration	Long term – Systemic effects - General population
Product/substance	Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized
DNEL	44 mg/m³
Route of exposure	Inhalation
Duration	Long term – Systemic effects - Workers
Product/substance	Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized
DNEL	13 mg/m³
Route of exposure	Inhalation
Duration	Long term – Systemic effects - General population
Product/substance	propan-2-ol
DNEL	319 mg/kg bw/day
Route of exposure	Dermal
Duration	Long term – Systemic effects - General population
Product/substance	propan-2-ol
DNEL	89 mg/m³
Route of exposure	Inhalation
Duration	Long term – Systemic effects - General population
Product/substance	propan-2-ol
DNEL	26 mg/kg bw/day
Route of exposure	Oral
Duration	Long term – Systemic effects - General population
Product/substance	propan-2-ol
DNEL	888 mg/kg bw/day
Route of exposure	Dermal
Duration	Long term – Systemic effects - Workers
Product/substance	propan-2-ol
DNEL	500 mg/m³
Route of exposure	Inhalation

Duration	Long term – Systemic effects - Workers

PNEC

Product/substance	2-(2-butoxyethoxy)ethanol
PNEC	0.44 mg/kg dw
Route of exposure	Marine water sediment
Duration of Exposure	

Product/substance	2-(2-butoxyethoxy)ethanol
PNEC	4.4 mg/kg dw
Route of exposure	Freshwater sediment
Duration of Exposure	

Product/substance	2-(2-butoxyethoxy)ethanol
PNEC	1.1 mg/L
Route of exposure	Freshwater
Duration of Exposure	

Product/substance	2-(2-butoxyethoxy)ethanol
PNEC	0.11 mg/L
Route of exposure	Marine water
Duration of Exposure	

Product/substance	2-(2-butoxyethoxy)ethanol
PNEC	11 mg/L
Route of exposure	Intermittent release
Duration of Exposure	

Product/substance	2-(2-butoxyethoxy)ethanol
PNEC	0.32 mg/kg dw
Route of exposure	Soil
Duration of Exposure	

Product/substance	Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized
PNEC	0.002 mg/L
Route of exposure	Freshwater
Duration of Exposure	

Product/substance	Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized
PNEC	0 mg/L
Route of exposure	Marine water
Duration of Exposure	

Product/substance	Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized
PNEC	0.058 mg/kg
Route of exposure	Marine water sediment
Duration of Exposure	

Product/substance	Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized
PNEC	0.115 mg/kg

Route of exposure	Soil
Duration of Exposure	

Product/substance	Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized
PNEC	0.58 mg/kg
Route of exposure	Freshwater sediment
Duration of Exposure	

Product/substance	Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized
PNEC	2.96 mg/L
Route of exposure	Sewage treatment plant
Duration of Exposure	

Product/substance	Citric acid
PNEC	0.44 mg/L
Route of exposure	Freshwater
Duration of Exposure	

Product/substance	Citric acid
PNEC	0.044 mg/L
Route of exposure	Marine water
Duration of Exposure	

Product/substance	Citric acid
PNEC	34.6 mg/kg
Route of exposure	Freshwater sediment
Duration of Exposure	

Product/substance	Citric acid
PNEC	3.46 mg/kg
Route of exposure	Marine water sediment
Duration of Exposure	

Product/substance	Citric acid
PNEC	1000 mg/l
Route of exposure	Sewage treatment plant
Duration of Exposure	-

Product/substance	Citric acid
PNEC	33.1 mg/kg
Route of exposure	Soil
Duration of Exposure	

Product/substance	Citric acid
PNEC	1000 mg/L
Route of exposure	Sewage treatment plant
Duration of Exposure	

Product/substance	propan-2-ol
PNEC	552 mg/kg

Route of exposure	Marine water sediment
Duration of Exposure	

Product/substance	propan-2-ol
PNEC	140.9 mg/L
Route of exposure	Freshwater
Duration of Exposure	

Product/substance	propan-2-ol
PNEC	28 mg/kg
Route of exposure	Soil
Duration of Exposure	

Product/substance	propan-2-ol
PNEC	140.9 mg/L
Route of exposure	Marine water
Duration of Exposure	

Product/substance	propan-2-ol
PNEC	140.9 mg/L
Route of exposure	Intermittent release
Duration of Exposure	

Product/substance	propan-2-ol
PNEC	2251 mg/L
Route of exposure	Sewage treatment plant
Duration of Exposure	

Product/substance	propan-2-ol
PNEC	552 mg/kg
Route of exposure	Freshwater sediment
Duration of Exposure	

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure emergency eyewash and -showers are clearly marked.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure

No specific requirements

Individual protection measures, such as personal protective equipment

Generally

Use only CE marked protective equipment.

Respiratory Equipment

No specific requirements

Skin protection

No specific requirements

Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile	-	> 480	EN374-2, EN374-3, EN388	

Eye protection

Type	Standards	
Safety glasses with side shields.	EN166	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Pale yellow

Odour / Odour threshold

Characteristic

pH

2.5

Density (g/cm³)

0.99

Kinematic viscosity

Testing not relevant or not possible due to nature of the product.

Particle characteristics

Does not apply to liquids.

Phase changes

Melting point/Freezing point (°C)

Testing not relevant or not possible due to nature of the product.

Softening point/range (waxes and pastes) (°C)

Does not apply to liquids.

Boiling point (°C)

Testing not relevant or not possible due to nature of the product.

Vapour pressure

Testing not relevant or not possible due to nature of the product.

Relative vapour density

Testing not relevant or not possible due to nature of the product.

Decomposition temperature (°C)

Testing not relevant or not possible due to nature of the product.

Data on fire and explosion hazards

Flash point (°C)

Testing not relevant or not possible due to nature of the product.

Ignition (°C)

Testing not relevant or not possible due to nature of the product.

Auto flammability (°C)

Testing not relevant or not possible due to nature of the product.

Lower and upper explosion limit (% v/v)

Testing not relevant or not possible due to nature of the product.

Solubility

Solubility in water

Soluble

n-octanol/water coefficient

Testing not relevant or not possible due to nature of the product.

Solubility in fat (g/L)

Testing not relevant or not possible due to nature of the product.

9.2. Other information

Other physical and chemical parameters

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 “Handling and storage”.

10.3. Possibility of hazardous reactions

No special

10.4. Conditions to avoid

No special

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product/substance	2-(2-butoxyethoxy)ethanol
Test method	
Species	Rat
Route of exposure	Oral
Test	LD50
Result	>2000 mg/kg
Other information	

Product/substance	2-(2-butoxyethoxy)ethanol
Test method	
Species	Rabbit
Route of exposure	Dermal
Test	LD50
Result	2764 mg/kg
Other information	

Product/substance	2-(2-butoxyethoxy)ethanol
Test method	

Species	Rat
Route of exposure	Inhalation
Test	LC50
Result	>29 ppm
Other information	

Product/substance	2-(2-butoxyethoxy)ethanol
Test method	
Species	Mouse
Route of exposure	Oral
Test	LD50
Result	2410 mg/kg
Other information	

Product/substance	Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized
Test method	
Species	Rat
Route of exposure	Oral
Test	LD50
Result	>2000 mg/kg
Other information	

Product/substance	Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized
Test method	
Species	Rat
Route of exposure	Dermal
Test	LD50
Result	>2000 mg/kg
Other information	

Product/substance	Citric acid
Test method	
Species	Rat
Route of exposure	Dermal
Test	LD50
Result	2000 mg/kg
Other information	

Product/substance	Citric acid
Test method	
Species	Mouse
Route of exposure	Oral
Test	LD50
Result	5400 mg/kg
Other information	

Product/substance	Hydrocarbons, C13-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics
Test method	
Species	Rat
Route of exposure	Oral
Test	LD50

Result	>5000 mg/kg
Other information	

Product/substance	Hydrocarbons, C13-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics
Test method	
Species	Rabbit
Route of exposure	Dermal
Test	LD50
Result	3160 mg/kg
Other information	

Product/substance	Hydrocarbons, C13-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics
Test method	
Species	Rat
Route of exposure	Inhalation
Test	LC50 (4 hours)
Result	>5266 mg/m³
Other information	

Product/substance	propan-2-ol
Test method	OECD 401
Species	Rat
Route of exposure	Oral
Test	LD50
Result	5840 mg/kg
Other information	

Product/substance	propan-2-ol
Test method	OECD 403
Species	Rat
Route of exposure	Inhalation
Test	LC50
Result	>25 mg/L
Other information	

Product/substance	propan-2-ol
Test method	OECD 402
Species	Rabbit
Route of exposure	Dermal
Test	LD50
Result	13900 mg/kg
Other information	

Skin corrosion/irritation

Product/substance	2-(2-butoxyethoxy)ethanol
Test method	OECD 404
Species	Rabbit
Duration	
Result	No adverse effect observed (Not irritating)
Other information	

Serious eye damage/irritation

Product/substance	2-(2-butoxyethoxy)ethanol
Test method	OECD 404
Species	Rabbit
Duration	
Result	Adverse effect observed (Irritating)
Other information	

Causes serious eye irritation.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Product/substance	2-(2-butoxyethoxy)ethanol
Test method	OECD 406
Species	Guinea pig
Result	No adverse effect observed (not sensitising)
Other information	

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

Endocrine disrupting properties

No special

Other information

propan-2-ol has been classified by IARC as a group 3 carcinogen.

SECTION 12: Ecological information

12.1. Toxicity

Product/substance	2-(2-butoxyethoxy)ethanol
Test method	
Species	Fish, Leuciscus idus
Compartment	
Duration	96 hours
Test	LC50
Result	>100 mg/L
Other information	

Product/substance	2-(2-butoxyethoxy)ethanol

Test method	
Species	Algae, Scenedesmus subspicatus
Compartment	
Duration	96 hours
Test	EC50
Result	>100 mg/L
Other information	

Product/substance	2-(2-butoxyethoxy)ethanol
Test method	
Species	Daphnia, Daphnia magna
Compartment	
Duration	48 hours
Test	EC50
Result	>100 mg/L
Other information	

Product/substance	Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized
Test method	
Species	Daphnia, Daphnia magna
Compartment	
Duration	48 hours
Test	EC50
Result	2.23 mg/L
Other information	

Product/substance	Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized
Test method	
Species	Algae, Desmodesmus subspicatus
Compartment	
Duration	72 hours
Test	EC50
Result	1.9 mg/L
Other information	

Product/substance	Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized
Test method	
Species	Fish, Oncorhynchus mykiss
Compartment	
Duration	96 hours
Test	LC50
Result	1.91 mg/L
Other information	

Product/substance	Citric acid
Test method	
Species	Fish
Compartment	
Duration	96 hours
Test	LC50
Result	440 mg/L

Other information

Product/substance	Citric acid
Test method	
Species	Daphnia
Compartment	
Duration	24 hours
Test	LC50
Result	1535 mg/L
Other information	

Product/substance	Hydrocarbons, C13-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics
Test method	
Species	Fish
Compartment	
Duration	96 hours
Test	LC50
Result	>1000 g/L
Other information	

Product/substance	Hydrocarbons, C13-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics
Test method	
Species	Algae
Compartment	
Duration	72 hours
Test	EC50
Result	>1000 mg/L
Other information	

Product/substance	Hydrocarbons, C13-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics
Test method	
Species	Daphnia, Daphnia magna
Compartment	
Duration	24 hours
Test	EC50
Result	>1000 mg/l ·
Other information	

Product/substance	propan-2-ol
Test method	
Species	Fish
Compartment	
Duration	96 hours
Test	LC50
Result	>100 mg/L
Other information	

Product/substance	propan-2-ol
Test method	
Species	Algae
Compartment	

Duration	8 d
Test	LOEC
Result	1000 mg/L
Other information	

Product/substance	propan-2-ol
Test method	
Species	Daphnia, Daphnia magna
Compartment	
Duration	48 hours
Test	LC50
Result	>100 mg/L
Other information	

Product/substance	propan-2-ol
Test method	
Species	Algae
Compartment	
Duration	72 hours
Test	EC50
Result	>100 mg/L
Other information	

12.2. Persistence and degradability

Product/substance	2-(2-butoxyethoxy)ethanol
Biodegradable	Yes
Test method	OECD 301 E
Result	100%

Product/substance	Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized
Biodegradable	Yes
Test method	OECD 301 B
Result	>60%

Product/substance	Citric acid
Biodegradable	Yes
Test method	
Result	

Product/substance	Hydrocarbons, C13-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics
Biodegradable	Yes
Test method	
Result	

Product/substance	propan-2-ol
Biodegradable	Yes
Test method	
Result	

12.3. Bioaccumulative potential

Product/substance	2-(2-butoxyethoxy)ethanol
Test method	
Potential bioaccumulation	No
LogPow	1.0000
BCF	No data available
Other information	

Product/substance	Citric acid
Test method	
Potential bioaccumulation	No
LogPow	-1.7200
BCF	No data available
Other information	

Product/substance	propan-2-ol
Test method	
Potential bioaccumulation	No
LogPow	0.0500
BCF	No data available
Other information	

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. Endocrine disrupting properties

No special

12.7. Other adverse effects

No special

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste.
To the extent the material has not been subject to regular tests of peroxide formation the waste shall be treated as explosive waste.
Dispose of contents/container to an approved waste disposal plant.
Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

EWC code

07 06 04* Other organic solvents, washing liquids and mother liquors

Specific labelling

Not applicable

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information
ADR	-	-	-	-	-	-

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

* Packing group
** Environmental hazards

Additional information
Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user
Not applicable

14.7. Maritime transport in bulk according to IMO instruments
No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application
No special

Demands for specific education
No specific requirements

SEVESO - Categories / dangerous substances
Not applicable

Additional information
Not applicable

Sources
Regulation (EU) No 1357/2014 of 18 December 2014 on waste.
CLP Regulation (EC) No 1272/2008, as retained and amended in UK law.
EC-Regulation 1907/2006 (REACH), as amended by UK REACH Regulations SI 2019/758

15.2. Chemical safety assessment
No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3
EUH066, Repeated exposure may cause skin dryness or cracking.
H304, May be fatal if swallowed and enters airways.
H315, Causes skin irritation.
H319, Causes serious eye irritation.

Abbreviations and acronyms
ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
CAS = Chemical Abstracts Service
CE = Conformité Européenne
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
CSA = Chemical Safety Assessment
CSR = Chemical Safety Report
DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level
EINECS = European Inventory of Existing Commercial chemical Substances
ES = Exposure Scenario
EUH statement = CLP-specific Hazard statement
EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IARC = International Agency for Research on Cancer (IARC)
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
OECD = Organisation for Economic Co-operation and Development
PBT = Persistent, Bioaccumulative and Toxic
PNEC = Predicted No Effect Concentration
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
RRN = REACH Registration Number
SCL = A specific concentration limit
SVHC = Substances of Very High Concern
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
STOT-SE = Specific Target Organ Toxicity - Single Exposure
TWA = Time weighted average
UN = United Nations
VOC = Volatile Organic Compound
vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP).

The safety data sheet is validated by

Åsa Möller

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.
The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.
It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.
Country-language: GB-en