

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking
1.1. Product identifier
Trade name
Exterior Coating
Product no.
230
Unique formula identifier (UFI)
PA6R-VFCG-H203-YU1W
1.2. Relevant identified uses of the substance or mixture and uses advised against
Relevant identified uses of the substance or mixture
Coating
Uses advised against
No special
1.3. Details of the supplier of the safety data sheet
Company and address
Blue & Green AB
Stenorsvägen 52
261 44 Landskrona
Sweden
+46 418 399000
www.blueandgreen.se
E-mail
info@blueandgreen.se
Revision
07/06/2022
SDS Version
1.0
1.4. Emergency telephone number
Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures".
SECTION 2: Hazards identification
2.1. Classification of the substance or mixture
Skin Irrit. 2; H315, Causes skin irritation.
Eye Irrit. 2; H319, Causes serious eye irritation.
2.2. Label elements
Hazard pictogram(s)
Signal word
-
Warning Hazard statement(s)
Causes skin irritation. (H315)
Causes skin initiation. (H319) Causes serious eye irritation. (H319)
Safety statement(s)
General
If medical advice is needed, have product container or label at hand. (P101)



Keep out of reach o Prevention	f children. (P102)			
	n/protective gloves. (P280)			
÷ .	ighly after handling. (P264)			
Response				
IF IN EYES: Rinse ca	utiously with water for severa	al minutes. Rer	nove contact lenses, if present and	easy to
	g. (P305+P351+P338)			
	sists: Get medical advice/atte	ntion. (P337+P3	313)	
Storage				
- Disposal				
Disposal -				
Hazardous substances				
No special				
2.3. Other hazards				
Additional labelling				
Not applicable				
Additional warnings				
•	es not contain any substance	es considered	to meet the criteria classifying then	n as PBT
and/or vPvB.				
ECTION 3: Composition/infor	mation on ingredients			
3.2. Mixtures				
Product/substance	Identifiers	% w/w	Classification	Not
Ethyl 3-ethoxypropionate	CAS No.: 763-69-9	15-25%	EUH066 Flam. Liq. 3, H226	
	EC No.: 212-112-9			
	REACH: 01-2119463267-34- XXXX			
	Index No.:			
3-	CAS No.: 919-30-2	1-3%	Acute Tox. 4, H302	
aminopropyltriethoxysilane	EC No.: 213-048-4		Skin Corr. 1B, H314	
	REACH: 01-2119480479-24- XXXX			
	Index No.: 612-108-00-0			
See full text of H-phrase	s in section 16. Occupational	exposure limit	ts are listed in section 8, if these are	e availat
Other information				
No special				
·				
ECTION 4: First aid measures				
ECTION 4: First aid measures 4.1. Description of first aid m				
ECTION 4: First aid measures 4.1. Description of first aid m General information	neasures			4
ECTION 4: First aid measures 4.1. Description of first aid m General information In the case of accident:	neasures Contact a doctor or casualty o		ake the label or this safety data she	
ECTION 4: First aid measures 4.1. Description of first aid m General information In the case of accident: 0 Contact a doctor if in do	neasures Contact a doctor or casualty o oubt about the injured persor		ake the label or this safety data she if the symptoms persist. Never giv	
ECTION 4: First aid measures 4.1. Description of first aid m General information In the case of accident: 0	neasures Contact a doctor or casualty o oubt about the injured persor			



him/her.
Skin contact
IF ON SKIN: Wash with plenty of water and soap.
Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap.
If skin irritation occurs: Get medical advice/attention.
Eye contact
Upon irritation of the eye: Remove contact lenses. Flush eyes immediately with plenty of water or isotonic water
(20-30°C) for at least 5 minutes and continue until irritation stops. Make sure to flush under upper and lower
eyelids. If irritation continues, contact a doctor. Continue flushing during transport.
Ingestion
Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice
immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless
recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on
vomited material.
Burns
Not applicable
4.2. Most important symptoms and effects, both acute and delayed
This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure
may result in an increased absorption potential of other hazardous substances at the area of exposure.
4.3. Indication of any immediate medical attention and special treatment needed IF exposed or concerned:
Get immediate medical advice/attention.
Information to medics
Bring this safety data sheet or the label from this product.
SECTION 5: Firefighting measures
5.1. Extinguishing media
Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.
5.2. Special hazards arising from the substance or mixture
Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers,
which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the
sewage system and nearby surface waters.
If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds
are produced. These are:
Nitrogen oxides (NO _x)
Carbon oxides (CO / CO2).
5.3. Advice for firefighters
Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure
contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.
SECTION 6: Accidental release measures
6.1. Personal precautions, protective equipment and emergency procedures
Avoid direct contact with spilled substances.
6.2. Environmental precautions
6.2. Environmental precautions Avoid discharge to lakes, streams, sewers, etc.
Avoid discharge to lakes, streams, sewers, etc.
Avoid discharge to lakes, streams, sewers, etc. 6.3. Methods and material for containment and cleaning up
Avoid discharge to lakes, streams, sewers, etc. 6.3. Methods and material for containment and cleaning up Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the
Avoid discharge to lakes, streams, sewers, etc. 6.3. Methods and material for containment and cleaning up Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.
Avoid discharge to lakes, streams, sewers, etc. 6.3. Methods and material for containment and cleaning up Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste. Use sand, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials

See section 13 on "Disposal considerations" in regard of handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.



SECTIO	N 7: Handling and stora	ge	
7.1. Pi 7.2. Co Re Sto Ino 7.3. Sp SECTIO	recautions for safe hand Smoking, drinking and co See section 8 "Exposure of onditions for safe storage Containers that have bee commended storage ma Always store in container orage temperature Room temperature 18 to compatible materials Strong acids, strong base oecific end use(s) This product should only N 8: Exposure controls/pontrol parameters	ling onsumption of food is not allowed in the work area. controls/personal protection" for information on personal prote ge, including any incompatibilities on opened must be carefully resealed and kept upright to preven aterial is of the same material as the original container. $0 \ 23^{\circ}\text{C}$ es, strong oxidizing agents, and strong reducing agents. be used for applications quoted in section 1.2 Dersonal protection	nt leakage.
	No substances are listed	in the national list of substances with an occupational exposure	e limit.
DNEL	Ethyl 3-ethoxypropionate	2	
	Duration	Route of exposure	DNEL
	Long term – Systemic effects - General population	Inhalation	72.6 mg/m3
	Long term – Systemic effects - Workers	Inhalation	610 mg/m3
PNEC	Ethyl 3-ethoxypropionate	2	
	Route of exposure	Duration of Exposure	PNEC
	Freshwater	-	0.06 mg/l
	Freshwater sediment	-	0.42 mg/kg dw
	Marine water	-	0.006 mg/l
	Marine water sediment	-	0.042 mg/kg dw
	Sewage treatment plant	-	50 mg/l
Ge Ex Ex Ap	neral recommendations Smoking, drinking and co posure scenarios There are no exposure so posure limits Occupational exposure li propriate technical mea	onsumption of food is not allowed in the work area. cenarios implemented for this product. mits have not been defined for the substances in this product.	
	Take off contaminated cl	othing and wash it before reuse.	



Measures to avoid enviror No specific requirements dividual protection measur	5		inment
Generally	es, such as perso	onal protective equ	ipment
-		opt	
Use only UKCA marked p Respiratory Equipment	notective equipm	ent.	
Туре	Class	Colour	Standards
Respiratory protection is not needed in the event of adequate ventilation.			
Skin protection			
Recommended	Type/Category		Standards
Dedicated work clothing should be worn.	-		
Hand protection			
Material	Glove thickness (mm)	Breakthrough time (min.)	standards
Latex	-	> 480	EN374-2, EN374-3, EN388
Eye protection Type	Standards		
Safety glasses with side shields.	EN166		
TION 0: Physical and chami	cal proportios		
TION 9: Physical and chemi . Information on basic phy		al properties	
Physical state	Sicularia chemie	ai properties	
Liquid			
Colour			
Colourless			
Odour / Odour threshold			
Characteristic			
рН		.	t
pH Testing not relevant or n	ot possible due to	o nature of the prod	Jct.
рН	ot possible due to	o nature of the prod	JCT.
pH Testing not relevant or n Density (g/cm ³) 1.02	ot possible due to	o nature of the prod	JCT.
pH Testing not relevant or n Density (g/cm³)			
pH Testing not relevant or n Density (g/cm ³) 1.02 Kinematic viscosity Testing not relevant or n Particle characteristics	ot possible due to		
pH Testing not relevant or n Density (g/cm ³) 1.02 Kinematic viscosity Testing not relevant or n Particle characteristics Does not apply to liquids	ot possible due to		
pH Testing not relevant or n Density (g/cm ³) 1.02 Kinematic viscosity Testing not relevant or n Particle characteristics Does not apply to liquids ase changes	ot possible due to		
pH Testing not relevant or n Density (g/cm ³) 1.02 Kinematic viscosity Testing not relevant or n Particle characteristics Does not apply to liquids	ot possible due to int (°C)	o nature of the prod	uct.



Softening point/range	(waxes and pastes) (°C)
Does not apply to liq	
Boiling point (°C)	
138	
Vapour pressure	
1 hPa (20 °C)	
Relative vapour densit	y
Testing not relevant	or not possible due to nature of the product.
Decomposition temper	'ature (°C)
Testing not relevant	or not possible due to nature of the product.
Data on fire and explosion	า hazards
Flash point (°C)	
65	
Ignition (°C)	
240	
Auto flammability (°C)	
_	or not possible due to nature of the product.
Lower and upper explo	
-	or not possible due to nature of the product.
Solubility	
Solubility in water	
Insoluble	
n-octanol/water coeffi	
	or not possible due to nature of the product.
Solubility in fat (g/L)	
	or not possible due to nature of the product.
9.2. Other information	
Other physical and che	mical parameters
No data available	
SECTION 10: Stability and re	eactivity
10.1. Reactivity	
No data available	
10.2. Chemical stability	
The product is stable	under the conditions, noted in section 7 "Handling and storage".
10.3. Possibility of hazard	ous reactions
No special	
10.4. Conditions to avoid	
No special	
10.5. Incompatible materi	
5 . 5	bases, strong oxidizing agents, and strong reducing agents.
10.6. Hazardous decompo	
The product is not de	egraded when used as specified in section 1.
SECTION 11: Toxicological i	nformation
11.1. Information on haza	rd classes as defined in Regulation (EC) No 1272/2008
Acute toxicity	
Product/substance	Ethyl 3-ethoxypropionate
Test method	
Species	Rat
Route of exposure	Oral
Test	LD50
Result	4309 mg/kg bw ·
Decult	4309 ma/ka bw ·



				
Other information				
Product/substance Test method	Ethyl 3-ethoxypropionate			
Species	Rabbit			
Route of exposure	Dermal			
Test	LD50			
Result	4080 mg/kg bw ·			
Other information				
Product/substance Test method	Ethyl 3-ethoxypropionate			
Species	Rat			
Route of exposure	Inhalation			
Test	LC50			
Result	5967 mg/m3 ·			
Other information	5			
Skin corrosion/irritation	n			
Causes skin irritation.				
Serious eye damage/irr				
Causes serious eye irr				
Respiratory sensitisatio				
	ta, the classification criteria are not met.			
Skin sensitisation	en el se l'étaité a substant de la service de la servic			
	ta, the classification criteria are not met.			
Germ cell mutagenicity				
	ta, the classification criteria are not met.			
Carcinogenicity				
	ta, the classification criteria are not met.			
Reproductive toxicity				
	ta, the classification criteria are not met.			
STOT-single exposure				
	ta, the classification criteria are not met.			
STOT-repeated exposur				
	ta, the classification criteria are not met.			
Aspiration hazard				
	ta, the classification criteria are not met.			
11.2. Information on other	hazards			
Long term effects				
	substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure			
may result in an increased absorption potential of other hazardous substances at the area of exposure.				
Endocrine disrupting pr	operties			
No special				
Other information				
No special				
SECTION 12: Ecological infor	mation			
12.1. Toxicity				
Product/substance	Ethyl 3-ethoxypropionate			
Test method				



Species	Fish
Compartment	
Duration	96 hours
Test	LC50
Result	60.9mg/l ·
Other information	outright
Product/substance	Ethyl 3-ethoxypropionate
Test method	
Species	Daphnia
Compartment	
Duration	48 hours
Test	EC50
Result	873 mg/l ·
Other information	
Product/substance	Ethyl 3-ethoxypropionate
Test method	
Species	Algae
Compartment	
Duration	72 hours
Test	EC50
Result	114.8 mg/l ·
Other information	
12.2. Persistence and deg	radability
Product/substance	Ethyl 3-ethoxypropionate
Biodegradable	Yes
Test method	OECD 301 B
Result	100
12.3. Bioaccumulative pot	tential
Product/substance	Ethyl 3-ethoxypropionate
Test method	
Potential	No
bioaccumulation	
LogPow	No data available
BCF	No data available
Other information	
12.4. Mobility in soil No data available	
12.5. Results of PBT and v	PuR assessment
and/or vPvB.	t does not contain any substances considered to meet the criteria classifying them as PBT
12.6. Endocrine disrupting	a properties
No special	g properties
12.7. Other adverse effect	te
No special	
•	
SECTION 13: Disposal consi	derations



13.1. Waste treatmen					
		on hazardous waste.			
		approved waste disposa			
5	No 1357/2014 of 18 D	ecember 2014 on wast	e as retained a	and amend	ed in UK law.
EWC code					
12 01 12* Spe	ent waxes and fats				
Specific labelling					
Not applicable					
Contaminated packin					
		product must be dispo	sed of similarly	y to the pro	duct.
SECTION 14: Transport	Information				
14.1 UN /	ID 14.2 UN proper sh	ipping name 14.3 Hazard	class(es) 14.4 I	PG* 14.5 Er	v** Other information
ADR -	-	-	-	-	-
IMDG -	-	-	-	-	-
IATA -	-	-	-	-	-
* Packing group					
** Environmenta					
Additional informatio					
	goods according to Al	DR. IATA and IMDG.			
14.6. Special precaution	-				
Not applicable					
14.7. Maritime transp	ort in bulk accordin	a to IMO instruments			
No data available					
SECTION 15: Regulatory	-				
15.1. Safety, health ar		egulations/legislation	specific for th	e substan	ce or mixture
Restrictions for ap	-				
-		feeding must not be exp			•
		e workplace needed to e	eliminate expo	sure, must	be considered.
Demands for speci					
No specific requi					
	es / dangerous subst	tances			
Not applicable					
Additional informa	ition				
Not applicable					
Sources			_		
	-	t 1974 Regulations 201			
U		December 2014 on wast			
Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as				and mixtures (CLP) as	
retained and amended in UK law.					
Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of					
	H) as retained and a	mended in UK law.			
15.2. Chemical safety	assessment				
No					
SECTION 16: Other info					
Full text of H-phrases	as mentioned in se	ction 3			
	ed exposure may cau	ise skin dryness or crac	king.		
-	ed exposure may cau e liquid and vapour.		king.		



H314, Causes severe skin burns and e	/e damage.
Abbreviations and acronyms	
	g the International Carriage of Dangerous Goods by Inland Waterway
ADR = The European Agreement conce	erning the International Carriage of Dangerous Goods by Road
ATE = Acute Toxicity Estimate	
BCF = Bioconcentration Factor	
CAS = Chemical Abstracts Service	
CE = Conformité Européenne	
	kaging Regulation [Regulation (EC) No. 1272/2008]
CSA = Chemical Safety Assessment	
CSR = Chemical Safety Report	
DMEL = Derived Minimal Effect Level	
DNEL = Derived No Effect Level	
EINECS = European Inventory of Existi	ng Commercial chemical Substances
ES = Exposure Scenario	
EUH statement = CLP-specific Hazard s	statement
EWC = European Waste Catalogue	
	Classification and Labelling of Chemicals
IARC = International Agency for Resea	-
IARC – International Agency for Resea	
IBC = Internediate Bulk Container	
	rous Coode
IMDG = International Maritime Dange	
LogPow = logarithm of the octanol/wa	
	or the Prevention of Pollution From Ships, 1973 as modified by the
Protocol of 1978. ("Marpol" = marine p	
OECD = Organisation for Economic Co	
PBT = Persistent, Bioaccumulative and	
PNEC = Predicted No Effect Concentra	
	International Carriage of Dangerous Goods by Rail
RRN = REACH Registration Number	
SCL = A specific concentration limit	
SVHC = Substances of Very High Conce	
STOT-RE = Specific Target Organ Toxic	ity - Repeated Exposure
STOT-SE = Specific Target Organ Toxic	ty - Single Exposure
TWA = Time weighted average	
UN = United Nations	
UVBC = Unknown or variable composi	tion, complex reaction products or of biological materials
VOC = Volatile Organic Compound	
vPvB = Very Persistent and Very Bioaco	cumulative
Additional information	
The classification of the substance/mix	ture in regard of health hazards are in accordance with the calculation
	1272/2008 (CLP) as retained and amended in UK law.
The safety data sheet is validated by	
Åsa Möller	
Other	
	ential change (first cipher in SDS version, see section 1)) is marked with a
blue triangle.	
	et applies only to this specific product (mentioned in section 1) and is not
necessarily correct for use with other	
-	afety data sheet to the actual user of the product. Information in this
safety data sheet cannot be used as a	
	product specification.
Country-language: GB-en	