

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Graffiti Remover Red Gel

Product no.

155

Unique formula identifier (UFI)

ERXV-V3GY-6A9V-1ERE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Graffiti Removal

Uses advised against

No special

1.3. Details of the supplier of the safety data sheet

Company and address

Blue & Green AB

Stenorsvägen 52

261 44 Landskrona

Sweden

+46 418 399000

www.blueandgreen.se

E-mai

info@blueandgreen.se

Revision

15/06/2022

SDS Version

1.0

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).

See section 4 "First aid measures".

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Acute Tox. 4; H302, Harmful if swallowed.

Skin Irrit. 2; H315, Causes skin irritation.

Eye Irrit. 2; H319, Causes serious eye irritation.

2.2. Label elements

Hazard pictogram(s)



Signal word

Warning

Hazard statement(s)

Harmful if swallowed. (H302)

Causes skin irritation. (H315)

Causes serious eye irritation. (H319)



Safety statement(s)

General

-

Prevention

Wash hands thoroughly after handling. (P264) Wear eye protection/protective gloves. (P280)

Response

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. (P301+P312)

Rinse mouth. (P330)

If eye irritation persists: Get medical advice/attention. (P337+P313)

Storage

-

Disposal

Dispose of contents/container to an approved waste disposal plant. (P501)

Hazardous substances

1-butylpyrrolidin-2-one

Isotridecanol, ethoxylated >=2,5 EO

2.3. Other hazards

Additional labelling

Not applicable

Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
1-butylpyrrolidin-2-one	CAS No.: 3470-98-2	25-40%	Acute Tox. 4, H302 Skin Irrit. 2, H315	
	EC No.: 222-437-8		Eye Irrit. 2, H319	
	REACH:			
	Index No.:			
(2-	CAS No.: 34590-94-8	5-10%		[1]
methoxymethylethoxy)propano	EC No.: 252-104-2			
	REACH:			
	Index No.:			
Isotridecanol, ethoxylated >=2,5	CAS No.: 69011-36-5	1-3%	Acute Tox. 4, H302	
EO	EC No.: 500-241-6		Eye Dam. 1, H318 (SCL: 10.00 %) Eye Irrit. 2, H319 (SCL: 1.00 %)	
	REACH:			
	Index No.:			

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available. **Other information**

[1] European occupational exposure limit

Labelling of contents according to Detergents Regulation (EC) No 648/2004



< 5%

· Non-ionic surfactants

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

IF ON SKIN: Wash with plenty of water/water and soap.

Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. If skin irritation occurs: Get medical advice/attention.

Eye contact

Upon irritation of the eye: Remove contact lenses. Flush eyes immediately with plenty of water or isotonic water (20-30°C) for at least 5 minutes and continue until irritation stops. Make sure to flush under upper and lower eyelids. If irritation continues, contact a doctor. Continue flushing during transport.

Ingestion

In the case of ingestion, contact a doctor immediately. If the person is conscious, give them water. DO NOT try to induce vomiting, unless this is recommended by a doctor. Hold head facing down to prevent vomit returning mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.

Burns

Not applicable

4.2. Most important symptoms and effects, both acute and delayed

This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

4.3. Indication of any immediate medical attention and special treatment needed

If eye irritation persists: Get medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO2).

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

6.2. Environmental precautions



Avoid discharge to lakes, streams, sewers, etc.

6.3. Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.

Use sand, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations.

To the extent possible cleaning is performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 on "Disposal considerations" in regard of handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

Always store in containers of the same material as the original container.

Storage temperature

Room temperature 18 to 23°C

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

--

(2-methoxymethylethoxy)propanol

Long term exposure limit (8 hours) (ppm): 50

Long term exposure limit (8 hours) (mg/m³): 308

Annotations:

Sk = Can be absorbed through the skin and lead to systemic toxicity.

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020).

DNEL

(2-methoxymethylethoxy)propanol

Duration	Route of exposure	DNEL
Long term – Systemic effects - General population	Dermal	121 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	283 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	37.2 mg/m³
Long term – Systemic effects - Workers	Inhalation	308 mg/kg

Graffiti Remover Red Gel Page 4 of 14



	Long term – Systemic effects - General population	Oral	36 mg/kg bw/day
	1-butylpyrrolidin-2-one		
	Duration	Route of exposure	DNEL
	Long term – Systemic effects - General population	Dermal	5 mg/kg
	Long term – Systemic effects - Workers	Dermal	10 mg/kg
	Long term – Systemic effects - General population	Inhalation	4.29 mg/m³
	Long term – Systemic effects - Workers	Inhalation	24.1 mg/m³
	Long term – Systemic effects - General population	Oral	4 mg/kg
	Short term – Systemic	Oral	4 mg/kg
	effects - General population		
NEC	population (2-methoxymethyleth		
IEC	population	y)propanol Duration of Exposure	PNEC
IEC	population (2-methoxymethyleth		PNEC 19 mg/L
IEC	population (2-methoxymethylet		
IEC	population (2-methoxymethylet		19 mg/L
IEC	population (2-methoxymethylet		19 mg/L 70.2 mg/kg
IEC	Route of exposure Freshwater Freshwater sediment Intermittent release		19 mg/L 70.2 mg/kg 190 mg/L
IEC	Route of exposure Freshwater Freshwater sediment Intermittent release Marine water		19 mg/L 70.2 mg/kg 190 mg/L 1.9 mg/L
IEC	Route of exposure Freshwater Freshwater sediment Intermittent release Marine water Marine water sediment		19 mg/L 70.2 mg/kg 190 mg/L 1.9 mg/L 7.02 mg/kg
IEC	Route of exposure Freshwater Freshwater sediment Intermittent release Marine water Marine water sediment Sewage treatment plant		19 mg/L 70.2 mg/kg 190 mg/L 1.9 mg/L 7.02 mg/kg 4168 mg/L
IEC	population (2-methoxymethylet		19 mg/L 70.2 mg/kg 190 mg/L 1.9 mg/L 7.02 mg/kg 4168 mg/L
IEC	population (2-methoxymethylet	Duration of Exposure	19 mg/L 70.2 mg/kg 190 mg/L 1.9 mg/L 7.02 mg/kg 4168 mg/L 2.74 mg/kg
IEC	Route of exposure Freshwater Freshwater sediment Intermittent release Marine water Marine water sediment Sewage treatment plant Soil 1-butylpyrrolidin-2-one Route of exposure	Duration of Exposure	19 mg/L 70.2 mg/kg 190 mg/L 1.9 mg/L 7.02 mg/kg 4168 mg/L 2.74 mg/kg
IEC	Route of exposure Freshwater Freshwater sediment Intermittent release Marine water Marine water sediment Sewage treatment plant Soil 1-butylpyrrolidin-2-one Route of exposure Freshwater	Duration of Exposure	19 mg/L 70.2 mg/kg 190 mg/L 1.9 mg/L 7.02 mg/kg 4168 mg/L 2.74 mg/kg PNEC 4 mg/L
NEC	population (2-methoxymethylet	Duration of Exposure	19 mg/L 70.2 mg/kg 190 mg/L 1.9 mg/L 7.02 mg/kg 4168 mg/L 2.74 mg/kg PNEC 4 mg/L 29.6 mg/kg

Graffiti Remover Red Gel Page 5 of 14



Soil 3.57 mg/kg

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure emergency eyewash and -showers are clearly marked.

Hygiene measures

Take off contaminated clothing and wash it before reuse.

Measures to avoid environmental exposure

No specific requirements

Individual protection measures, such as personal protective equipment **Generally**

Use only UKCA marked protective equipment.

Respiratory Equipment

No specific requirements

Skin protection

Recommended	Type/Category	Standards	
Dedicated work clothing should be worn.	-	-	

Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile	-	> 480	EN374-2, EN374-3, EN388	

Eye protection

Туре	Standards
Safety glasses with side shields.	EN166



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Gel

Colour

Red

Graffiti Remover Red Gel Page 6 of 14

Odour / Odour threshold

Characteristic

pН

Testing not relevant or not possible due to nature of the product.

Density (g/cm³)

1.05

Kinematic viscosity

Testing not relevant or not possible due to nature of the product.

Particle characteristics

Does not apply to liquids.

Phase changes

Melting point/Freezing point (°C)

Testing not relevant or not possible due to nature of the product.

Softening point/range (waxes and pastes) (°C)

Does not apply to liquids.

Boiling point (°C)

Testing not relevant or not possible due to nature of the product.

Vapour pressure

Testing not relevant or not possible due to nature of the product.

Relative vapour density

Testing not relevant or not possible due to nature of the product.

Decomposition temperature (°C)

Testing not relevant or not possible due to nature of the product.

Data on fire and explosion hazards

Flash point (°C)

Testing not relevant or not possible due to nature of the product.

Ignition (°C)

Testing not relevant or not possible due to nature of the product.

Auto flammability (°C)

Testing not relevant or not possible due to nature of the product.

Lower and upper explosion limit (% v/v)

Testing not relevant or not possible due to nature of the product.

Solubility

Solubility in water

Testing not relevant or not possible due to nature of the product.

n-octanol/water coefficient

Testing not relevant or not possible due to nature of the product.

Solubility in fat (g/L)

Testing not relevant or not possible due to nature of the product.

9.2. Other information

Other physical and chemical parameters

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

No special

10.4. Conditions to avoid

No special

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.



10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 **Acute toxicity**

Product/substance

1-butylpyrrolidin-2-one

Test method

Species Rat Route of exposure Oral Test LD50

Result 300-2000mg/kg ·

Other information

Product/substance

1-butylpyrrolidin-2-one

Test method

Species Rabbit Route of exposure Dermal LD50 Test Result >2000mg/kg ·

Other information

Product/substance

(2-methoxymethylethoxy)propanol

Test method

Rat Species Route of exposure Oral LD50 Test Result >5000 mg/kg

Other information

Product/substance

(2-methoxymethylethoxy)propanol

Test method

Species Rabbit Dermal Route of exposure LD50 Test 9510 mg/kg Result

Other information

Product/substance

(2-methoxymethylethoxy)propanol

Test method

Species Rat Inhalation Route of exposure Test LC50 3.35 mg/L Result

Other information

Product/substance Isotridecanol, ethoxylated >= 2,5 EO

Test method

Species Rat Route of exposure Oral LD50 Test

Graffiti Remover Red Gel Page 8 of 14



Result 300-2000 mg/kg

Other information

Product/substance Isotridecanol, ethoxylated >= 2,5 EO

Test method

Species Rabbit
Route of exposure Dermal
Test LD50
Result >2000 mg/kg

Other information

Harmful if swallowed.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

Endocrine disrupting properties

No special

Other information

No special

SECTION 12: Ecological information

12.1. Toxicity

Product/substance 1-butylpyrrolidin-2-one

Test method

Species Fish, Oncorhynchus mykiss

Compartment

Duration 96 hours
Test LC50
Result >100 mg/L

Other information

Graffiti Remover Red Gel Page 9 of 14



Product/substance

1-butylpyrrolidin-2-one

Test method

Species

Algae, Pseudokirchneriella subcapitata

Compartment

Duration 72 hours
Test EC50
Result 130 mg/L

Other information

Product/substance

Test method

1-butylpyrrolidin-2-one

Species

Daphnia, Daphnia magna

Compartment

Duration 48 hours
Test EC50
Result >100 mg/L

Other information

Product/substance

(2-methoxymethylethoxy)propanol

Test method

Species Fish, Poecilia reticulata

Compartment

Duration 96 hours
Test LC50
Result >1000 mg/L

Other information

Product/substance

(2-methoxymethylethoxy)propanol

Test method

Species

Daphnia, Daphnia magna

Compartment

Duration 48 hours
Test EC50
Result 1919 mg/L

Other information

Product/substance

(2-methoxymethylethoxy)propanol

Test method

Species

Daphnia, Daphnia magna

Compartment

Duration 22 d
Test NOEC
Result 0.5 mg/L

Other information

Product/substance

(2-methoxymethylethoxy)propanol

Test method

Species Algae, Pseudokirchneriella subcapitata

Compartment

Duration 72 hours

Graffiti Remover Red Gel Page 10 of 14



EC50 Test >969 mg/L Result

Other information

Product/substance

Isotridecanol, ethoxylated >=2,5 EO

Test method

Species Fish, Brachydanio rerio

Compartment

96 hours Duration Test LC50 10-100 mg/L Result

Other information

Product/substance

Isotridecanol, ethoxylated >= 2,5 EO

Test method

Daphnia, Daphnia magna **Species**

Compartment

48 hours Duration Test EC50 Result >1-10 mg/L

Other information

Product/substance

Isotridecanol, ethoxylated >=2,5 EO

Test method

Species

Algae, Desmodesmus subspicatus

Compartment

72 hours Duration Test EC50 >1-10 mg/L Result

Other information

Product/substance

Isotridecanol, ethoxylated >=2,5 EO

Test method

Species Daphnia, Daphnia magna

Compartment

Duration 21 days EC10 Test 2,6 mg/L Result

Other information

12.2. Persistence and degradability

Product/substance 1-butylpyrrolidin-2-one

Yes Biodegradable

Test method

Result

Product/substance (2-methoxymethylethoxy)propanol

Biodegradable Yes

Test method OECD 301 F

Result 75%

Graffiti Remover Red Gel Page 11 of 14



Product/substance Isotridecanol, ethoxylated >= 2,5 EO

Biodegradable Yes

Test method OECD 301 B Result >60%

12.3. Bioaccumulative potential

Product/substance 1-butylpyrrolidin-2-one

Test method

Potential No

bioaccumulation

LogPow 1.2650

BCF No data available

Other information

Product/substance (2-methoxymethylethoxy)propanol

Test method

Potential No

bioaccumulation

LogPow 0.0060

BCF No data available

Other information

Product/substance Isotridecanol, ethoxylated >=2,5 EO

Test method

Potential No

bioaccumulation

LogPow No data available BCF No data available

Other information

12.4. Mobility in soil

(2-methoxymethylethoxy)propanol

LogKoc = 0.28, High mobility potential.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. Endocrine disrupting properties

No special

12.7. Other adverse effects

No special

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste.

HP 4 - Irritant (skin irritation and eye damage)

HP 6 - Acute toxicity

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code

07 06 04* Other organic solvents, washing liquids and mother liquors

Specific labelling



Not applicable

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

^{*} Packing group

Additional information

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Restrictions for application

Restricted to professional users.

Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical precautions or design of the workplace needed to eliminate exposure, must be considered.

Demands for specific education

No specific requirements

SEVESO - Categories / dangerous substances

Not applicable

Additional information

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Sources

The Health and Safety at Work etc. Act 1974 Regulations 2013.

Regulation (EC) No 648/2004 on detergents as retained and amended in UK law.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H302, Harmful if swallowed.

H315, Causes skin irritation.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

^{**} Environmental hazards



ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the

Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The safety data sheet is validated by

Åsa Möller

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en