SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Inner Clean

Product no.

256

Unique formula identifier (UFI)

W6V2-D5VK-F10N-VFF9

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Cleaning liquid

Uses advised against

No special

1.3. Details of the supplier of the safety data sheet

Company and address

Blue & Green AB
Stenorsvägen 52
261 44 Landskrona
Sweden
+46 418 399000
www.blueandgreen.se

E-mail

info@blueandgreen.se

Revision

26/05/2022

SDS Version

1.0

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).
See section 4 “First aid measures”.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Skin Corr. 1; H314, Causes severe skin burns and eye damage.

Eye Dam. 1; H318, Causes serious eye damage.

2.2. Label elements

Hazard pictogram(s)

Signal word

Danger

Hazard statement(s)

Causes severe skin burns and eye damage. (H314)

Safety statement(s)

General

Keep out of reach of children. (P102)

Prevention

Do not breathe vapour/mist. (P260)
Wear eye protection/protective gloves. (P280)

Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water . (P303+P361+P353)
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)

Storage

-

Disposal

Dispose of contents/container to an approved waste disposal plant. (P501)

Hazardous substances

1-Heptanol, 2-propyl- , 8EO
C8 Alkyl glucoside
1-Heptanol, 2-propyl- , 5EO
Disodium dioxido(oxo)silane pentahydrate

2.3. Other hazards

Additional labelling

Not applicable

Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
propan-2-ol	CAS No.: 67-63-0 EC No.: 200-661-7 REACH: Index No.: 603-117-00-0	5-10%	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	
1-Heptanol, 2-propyl- , 8EO	CAS No.: 160875-66-1 EC No.: REACH: Index No.:	3-5%	Acute Tox. 4, H302 Eye Dam. 1, H318	
(2-methoxymethylethoxy)propanol	CAS No.: 34590-94-8 EC No.: 252-104-2 REACH: 01-2119450011-60 Index No.:	3-5%		[1]
C8 Alkyl glucoside	CAS No.: EC No.: 414-420-0 REACH: 01-0000016147-72 Index No.:	1-3%	Eye Dam. 1, H318	

1-Heptanol, 2-propyl- , 5EO	CAS No.: 160875-66-1 EC No.: 605-233-7 REACH: Index No.:	1-3%	Eye Dam. 1, H318
Disodium dioxido(oxo)silane pentahydrate	CAS No.: 10213-79-3 EC No.: 600-279-4 REACH: 01-2119449811-37 Index No.: 014-010-00-8	1-3%	Met. Corr. 1, H290 Skin Corr. 1B, H314 STOT SE 3, H335

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[1] European occupational exposure limit

Labelling of contents according to Detergents Regulation (EC) No 648/2004

5% - 15%

· Non-ionic surfactants

< 5%

· Perfumes

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap.

If skin irritation occurs: Get medical advice/attention.

Eye contact

Upon irritation of the eye: Remove contact lenses. Flush eyes with plenty of water or salt water (20-30°C) for at least 15 minutes and continue until irritation stops. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

Ingestion

In the case of ingestion, contact a doctor immediately. If the person is conscious, give them water. DO NOT try to induce vomiting, unless this is recommended by a doctor. Hold head facing down to prevent vomit returning mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.

Burns

Not applicable

4.2. Most important symptoms and effects, both acute and delayed

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, -irritations and burns in the respiratory organs -as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Not applicable

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

6.3. Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.

Use sand, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations.

To the extent possible cleaning is performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 on “Disposal considerations” in regard of handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers and store protected from moisture and light. Containers should be dated when opened and tested periodically for the presence of peroxides. Do not exceed storage time limits.

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

Always store in containers of the same material as the original container.

Storage temperature

Room temperature 18 to 23°C

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

—

propan-2-ol

Long term exposure limit (8 hours) (ppm): 400
Long term exposure limit (8 hours) (mg/m³): 999
Short term exposure limit (15 minutes) (ppm): 500
Short term exposure limit (15 minutes) (mg/m³): 1250

—
(2-methoxymethylethoxy)propanol
Long term exposure limit (8 hours) (ppm): 50
Long term exposure limit (8 hours) (mg/m³): 308
Annotations:
Sk = Can be absorbed through the skin and lead to systemic toxicity.

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020).

DNEL

(2-methoxymethylethoxy)propanol

Duration	Route of exposure	DNEL
Long term – Systemic effects - General population	Dermal	121 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	283 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	37.2 mg/m³
Long term – Systemic effects - Workers	Inhalation	308 mg/kg
Long term – Systemic effects - General population	Oral	36 mg/kg bw/day

Disodium dioxido(oxo)silane pentahydrate

Duration	Route of exposure	DNEL
Long term – Systemic effects - General population	Dermal	0.74 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	1.49 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	1.55 mg/m³
Long term – Systemic effects - Workers	Inhalation	6.22 mg/m³
Long term – Systemic effects - General population	Oral	0.74 mg/kg bw/day

propan-2-ol

Duration	Route of exposure	DNEL

Long term – Systemic effects - General population	Dermal	319 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	888 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	89 mg/m³
Long term – Systemic effects - Workers	Inhalation	500 mg/m³
Long term – Systemic effects - General population	Oral	26 mg/kg bw/day

PNEC

(2-methoxymethylethoxy)propanol

Route of exposure	Duration of Exposure	PNEC
Freshwater		19 mg/L
Freshwater sediment		70.2 mg/kg
Intermittent release		190 mg/L
Marine water		1.9 mg/L
Marine water sediment		7.02 mg/kg
Sewage treatment plant		4168 mg/L
Soil		2.74 mg/kg

Disodium dioxido(oxo)silane pentahydrate

Route of exposure	Duration of Exposure	PNEC
Freshwater	-	7.5 mg/L
Intermittent release	-	7.5 mg/L
Marine water	-	1 mg/L
Sewage treatment plant	-	1000 mg/L

propan-2-ol

Route of exposure	Duration of Exposure	PNEC
Freshwater		140.9 mg/L
Freshwater sediment		552 mg/kg
Intermittent release		140.9 mg/L
Marine water		140.9 mg/L
Marine water sediment		552 mg/kg
Sewage treatment plant		2251 mg/L

Soil	28 mg/kg

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure emergency eyewash and -showers are clearly marked.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

Individual protection measures, such as personal protective equipment

Generally

Wash contaminated clothing before reuse.
Use only UKCA marked protective equipment.

Respiratory Equipment

No specific requirements

Skin protection

No specific requirements

Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile	-	> 480	EN374-2, EN374-3, EN388	

Eye protection

Type	Standards	
Safety glasses with side shields.	EN166	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Yellowish

Odour / Odour threshold

Pleasant

pH

12.5

Density (g/cm³)

1.02

Kinematic viscosity

Testing not relevant or not possible due to nature of the product.

Particle characteristics

Does not apply to liquids.

Phase changes

Melting point/Freezing point (°C)

Testing not relevant or not possible due to nature of the product.

Softening point/range (waxes and pastes) (°C)

Does not apply to liquids.

Boiling point (°C)

Testing not relevant or not possible due to nature of the product.

Vapour pressure

Testing not relevant or not possible due to nature of the product.

Relative vapour density

Testing not relevant or not possible due to nature of the product.

Decomposition temperature (°C)

Testing not relevant or not possible due to nature of the product.

Data on fire and explosion hazards

Flash point (°C)

Testing not relevant or not possible due to nature of the product.

Ignition (°C)

Testing not relevant or not possible due to nature of the product.

Auto flammability (°C)

Testing not relevant or not possible due to nature of the product.

Lower and upper explosion limit (% v/v)

Testing not relevant or not possible due to nature of the product.

Solubility

Solubility in water

Completely soluble

n-octanol/water coefficient

Testing not relevant or not possible due to nature of the product.

Solubility in fat (g/L)

Testing not relevant or not possible due to nature of the product.

9.2. Other information

Other physical and chemical parameters

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 “Handling and storage”.

10.3. Possibility of hazardous reactions

No special

10.4. Conditions to avoid

No special

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product/substance	propan-2-ol
Test method	OECD 401
Species	Rat
Route of exposure	Oral
Test	LD50
Result	5840 mg/kg
Other information	

Product/substance	propan-2-ol
Test method	OECD 403
Species	Rat
Route of exposure	Inhalation
Test	LC50
Result	>25 mg/L
Other information	

Product/substance	propan-2-ol
Test method	OECD 402
Species	Rabbit
Route of exposure	Dermal
Test	LD50
Result	13900 mg/kg
Other information	

Product/substance	1-Heptanol, 2-propyl- , 8EO
Test method	
Species	Rat
Route of exposure	Oral
Test	LD50
Result	>300-2000 mg/kg
Other information	

Product/substance	(2-methoxymethylethoxy)propanol
Test method	
Species	Rat
Route of exposure	Oral
Test	LD50
Result	>5000 mg/kg
Other information	

Product/substance	(2-methoxymethylethoxy)propanol
Test method	
Species	Rabbit
Route of exposure	Dermal
Test	LD50
Result	9510 mg/kg
Other information	

Product/substance	(2-methoxymethylethoxy)propanol
Test method	
Species	Rat
Route of exposure	Inhalation
Test	LC50
Result	3.35 mg/L
Other information	

Product/substance	C8 Alkyl glucoside
Test method	
Species	Rat
Route of exposure	Oral
Test	LD50
Result	>2000-5000 mg/kg
Other information	

Product/substance	C8 Alkyl glucoside
Test method	
Species	Rat
Route of exposure	Dermal
Test	LD50
Result	>5000 mg/kg
Other information	

Product/substance	1-Heptanol, 2-propyl- , 5EO
Test method	
Species	Rat
Route of exposure	Oral
Test	LD50
Result	>2000 mg/kg
Other information	

Product/substance	Disodium dioxido(oxo)silane pentahydrate
Test method	
Species	Rat
Route of exposure	Oral
Test	LD50
Result	1152-1349 mg/kg
Other information	

Product/substance	Disodium dioxido(oxo)silane pentahydrate
Test method	
Species	Rat
Route of exposure	Dermal
Test	LD50
Result	>5000 mg/kg
Other information	

Product/substance	Disodium dioxido(oxo)silane pentahydrate
Test method	

Species	Rat
Route of exposure	Inhalation
Test	LC50
Result	>2060 mg/m³
Other information	

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

Endocrine disrupting properties

No special

Other information

propan-2-ol has been classified by IARC as a group 3 carcinogen.

SECTION 12: Ecological information

12.1. Toxicity

Product/substance	propan-2-ol
Test method	
Species	Fish
Compartment	
Duration	96 hours
Test	LC50
Result	>100 mg/L
Other information	

Product/substance	propan-2-ol
Test method	
Species	Algae
Compartment	
Duration	8 d

Test	LOEC
Result	1000 mg/L
Other information	

Product/substance	propan-2-ol
Test method	
Species	Daphnia, Daphnia magna
Compartment	
Duration	48 hours
Test	LC50
Result	>100 mg/L
Other information	

Product/substance	propan-2-ol
Test method	
Species	Algae
Compartment	
Duration	72 hours
Test	EC50
Result	>100 mg/L
Other information	

Product/substance	1-Heptanol, 2-propyl- , 8EO
Test method	
Species	Fish, Oncorhynchus mykiss
Compartment	
Duration	96 hours
Test	LC50
Result	10-100 mg/L
Other information	

Product/substance	1-Heptanol, 2-propyl- , 8EO
Test method	
Species	Daphnia, Daphnia magna
Compartment	
Duration	48 hours
Test	EC50
Result	10-100 mg/L
Other information	

Product/substance	1-Heptanol, 2-propyl- , 8EO
Test method	
Species	Algae, Scenedesmus subspicatus
Compartment	
Duration	72 hours
Test	EC50
Result	10-100 mg/L
Other information	

Product/substance	(2-methoxymethylethoxy)propanol
Test method	

Species	Fish, Poecilia reticulata
Compartment	
Duration	96 hours
Test	LC50
Result	>1000 mg/L
Other information	

Product/substance	(2-methoxymethylethoxy)propanol
Test method	
Species	Daphnia, Daphnia magna
Compartment	
Duration	48 hours
Test	EC50
Result	1919 mg/L
Other information	

Product/substance	(2-methoxymethylethoxy)propanol
Test method	
Species	Daphnia, Daphnia magna
Compartment	
Duration	22 d
Test	NOEC
Result	0.5 mg/L
Other information	

Product/substance	(2-methoxymethylethoxy)propanol
Test method	
Species	Algae, Pseudokirchneriella subcapitata
Compartment	
Duration	72 hours
Test	EC50
Result	>969 mg/L
Other information	

Product/substance	C8 Alkyl glucoside
Test method	
Species	Fish, Oncorhynchus mykiss
Compartment	
Duration	96 hours
Test	LC50
Result	>310 mg/L
Other information	

Product/substance	C8 Alkyl glucoside
Test method	
Species	Daphnia, Daphnia magna
Compartment	
Duration	48 hours
Test	EC50
Result	>100 mg/L

Other information

Product/substance	C8 Alkyl glucoside
Test method	
Species	Algae, Selenastrum capricornutum
Compartment	
Duration	72 hours
Test	EC50
Result	>100 mg/L
Other information	

Product/substance	1-Heptanol, 2-propyl- , 5EO
Test method	
Species	Fish, Oncorhynchus mykiss
Compartment	
Duration	96 hours
Test	LC50
Result	10-100 mg/L
Other information	

Product/substance	1-Heptanol, 2-propyl- , 5EO
Test method	
Species	Daphnia, Daphnia magna
Compartment	
Duration	48 hours
Test	EC50
Result	10-100 mg/L
Other information	

Product/substance	Disodium dioxido(oxo)silane pentahydrate
Test method	
Species	Fish, Brachydanio rerio
Compartment	
Duration	96 hours
Test	LC50
Result	210 mg/L
Other information	

Product/substance	Disodium dioxido(oxo)silane pentahydrate
Test method	
Species	Daphnia, Daphnia magna
Compartment	
Duration	48 hours
Test	EC50
Result	1700 mg/L
Other information	

12.2. Persistence and degradability

Product/substance	propan-2-ol
Biodegradable	Yes

Test method	
Result	

Product/substance	1-Heptanol, 2-propyl- , 8EO
Biodegradable	Yes
Test method	OECD 301 D
Result	

Product/substance	(2-methoxymethylethoxy)propanol
Biodegradable	Yes
Test method	OECD 301 F
Result	75%

Product/substance	C8 Alkyl glucoside
Biodegradable	Yes
Test method	OECD 301 D
Result	

Product/substance	1-Heptanol, 2-propyl- , 5EO
Biodegradable	Yes
Test method	OECD 301 D
Result	

Product/substance	Disodium dioxido(oxo)silane pentahydrate
Biodegradable	Yes
Test method	
Result	

12.3. Bioaccumulative potential

Product/substance	propan-2-ol
Test method	
Potential bioaccumulation	No
LogPow	0.0500
BCF	No data available
Other information	

Product/substance	1-Heptanol, 2-propyl- , 8EO
Test method	
Potential bioaccumulation	No
LogPow	No data available
BCF	No data available
Other information	

Product/substance	(2-methoxymethylethoxy)propanol
Test method	
Potential bioaccumulation	No
LogPow	0.0060

BCF	No data available
Other information	

Product/substance	C8 Alkyl glucoside
Test method	
Potential bioaccumulation	No
LogPow	No data available
BCF	No data available
Other information	

Product/substance	1-Heptanol, 2-propyl- , 5EO
Test method	
Potential bioaccumulation	No
LogPow	No data available
BCF	No data available
Other information	

Product/substance	Disodium dioxido(oxo)silane pentahydrate
Test method	
Potential bioaccumulation	No
LogPow	No data available
BCF	No data available
Other information	

12.4. Mobility in soil

(2-methoxymethylethoxy)propanol
LogKoc = 0.28, High mobility potential.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. Endocrine disrupting properties

No special

12.7. Other adverse effects

No special

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste.
To the extent the material has not been subject to regular tests of peroxide formation the waste shall be treated as explosive waste.
HP 8 – Corrosive
Dispose of contents/container to an approved waste disposal plant.
Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code

07 06 04* Other organic solvents, washing liquids and mother liquors

Specific labelling

Not applicable

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information
ADR	UN1760	CORROSIVE LIQUID, N.O.S. (Disodium dioxido(oxo)silane pentahydrate)	Class: 8 Labels: 8 Classification code: C9 	III	No	Limited quantities: 5 L Tunnel restriction code: (E) See below for additional information.
IMDG	UN1760	CORROSIVE LIQUID, N.O.S. (Disodium dioxido(oxo)silane pentahydrate)	Class: 8 Labels: 8 Classification code: C9 	III	No	Limited quantities: 5 L EmS: F-A S-B See below for additional information.
IATA	UN1760	CORROSIVE LIQUID, N.O.S. (Disodium dioxido(oxo)silane pentahydrate)	Class: 8 Labels: 8 Classification code: C9 	III	No	See below for additional information.

* Packing group

** Environmental hazards

Additional information

IMDG / See the Dangerous Goods List, section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

This product is within scope of the regulations of transport of dangerous goods.

14.6. Special precautions for user

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

People under the age of 18 shall not be exposed to this product.

Demands for specific education

No specific requirements

SEVESO - Categories / dangerous substances

Not applicable

Additional information

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Tactile warning.

If this product is sold in retail, it must be delivered with child-resistant fastening.

Sources

The Management of Health and Safety at Work Regulations 1999
The Health and Safety at Work etc. Act 1974 Regulations 2013.
Regulation (EC) No 648/2004 on detergents as retained and amended in UK law.
Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.
Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.
Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H225, Highly flammable liquid and vapour.
H290, May be corrosive to metals.
H302, Harmful if swallowed.
H314, Causes severe skin burns and eye damage.
H318, Causes serious eye damage.
H319, Causes serious eye irritation.
H335, May cause respiratory irritation.
H336, May cause drowsiness or dizziness.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
CAS = Chemical Abstracts Service
CE = Conformité Européenne
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
CSA = Chemical Safety Assessment
CSR = Chemical Safety Report
DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level
EINECS = European Inventory of Existing Commercial chemical Substances
ES = Exposure Scenario
EUH statement = CLP-specific Hazard statement
EWC = European Waste Catalogue
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IARC = International Agency for Research on Cancer (IARC)
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
OECD = Organisation for Economic Co-operation and Development
PBT = Persistent, Bioaccumulative and Toxic
PNEC = Predicted No Effect Concentration
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
RRN = REACH Registration Number
SCL = A specific concentration limit
SVHC = Substances of Very High Concern
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure
TWA = Time weighted average
UN = United Nations
UVBC = Unknown or variable composition, complex reaction products or of biological materials
VOC = Volatile Organic Compound
vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.
The classification of the substance/mixture in regard of skin corrosion and serious eye damage is based on the pH-criterion given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The safety data sheet is validated by

Åsa Möller

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.
The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.
It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.
Country-language: GB-en