

# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

#### **Trade name**

Rust Remover Acid

# Product no.

27

### Unique formula identifier (UFI)

7FGY-7MJT-RC9S-PGER

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

# Relevant identified uses of the substance or mixture

Cleaning liquid

# **Uses advised against**

No special

# 1.3. Details of the supplier of the safety data sheet

# **Company and address**

# **Blue & Green AB**

Stenorsvägen 52

261 44 Landskrona

Sweden

+46 418 399000

www.blueandgreen.se

#### E-mai

info@blueandgreen.se

#### **Revision**

27/07/2022

# **SDS Version**

1.0

# 1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).

See section 4 "First aid measures".

### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Met. Corr. 1; H290, May be corrosive to metals.

Skin Corr. 1; H314, Causes severe skin burns and eye damage.

Eye Dam. 1; H318, Causes serious eye damage.

STOT SE 3; H335, May cause respiratory irritation.

# 2.2. Label elements

# **Hazard pictogram(s)**





## Signal word

Danger

# **Hazard statement(s)**

May be corrosive to metals. (H290)

Causes severe skin burns and eye damage. (H314)

May cause respiratory irritation. (H335)

# Safety statement(s)

### General

\_

#### Prevention

Do not breathe vapour/mist. (P260)

Wear face shield/protective gloves/protective clothing. (P280)

#### Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water . (P303+P361+P353)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)

Immediately call a POISON CENTER/doctor. (P310)

### Storage

.

### Disposal

Dispose of contents/container to an approved waste disposal plant. (P501)

# **Hazardous substances**

hydrochloric acid

Alcohols, C11-14-iso-, C13-rich, ethoxylated

#### 2.3. Other hazards

### **Additional labelling**

Not applicable

### **Additional warnings**

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
nydrochloric acid	CAS No.: 7647-01-0	15-25%	Met. Corr. 1, H290 Skin Corr. 1B, H314 (SCL: 25.00 %)	[1]
	EC No.: 231-595-7		STOT SE 3, H335	
	UK-REACH:			
	Index No.: 017-002-00-2			
Alcohols, C11-14-iso-, C13- ich, ethoxylated	CAS No.: 78330-21-9	1-3%	Acute Tox. 4, H302 Eye Dam. 1, H318	
icii, etiioxylated	EC No.: 616-609-5		Aquatic Chronic 3, H412	
	UK-REACH:			
	Index No.:			

-----

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

# **Other information**

[1] European occupational exposure limit

# Labelling of contents according to Detergents Regulation (EC) No 648/2004

< 5%

· Non-ionic surfactants

# **SECTION 4: First aid measures**

Rust Remover Acid Page 2 of 11

# 4.1. Description of first aid measures

# **General information**

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### **Inhalation**

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

# **Skin contact**

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap.

If skin irritation occurs: Get medical advice/attention.

# **Eye contact**

Upon irritation of the eye: Remove contact lenses. Flush eyes with plenty of water or salt water (20-30°C) for at least 15 minutes and continue until irritation stops. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

# **Ingestion**

In the case of ingestion, contact a doctor immediately. If the person is conscious, give them water. DO NOT try to induce vomiting, unless this is recommended by a doctor. Hold head facing down to prevent vomit returning mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.

#### **Burns**

Not applicable

# 4.2. Most important symptoms and effects, both acute and delayed

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, -irritations and burns in the respiratory organs -as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

# 4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

# **Information to medics**

Bring this safety data sheet or the label from this product.

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Not applicable

# 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Halogenated compounds.

# 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

# SECTION 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

Avoid inhalation of vapours from spilled material.

### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

# 6.3. Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.

Use sand, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations.

To the extent possible cleaning is performed with normal cleaning agents. Avoid use of solvents.

### 6.4. Reference to other sections

See section 13 on "Disposal considerations" in regard of handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

# SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

# 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Store in a container with a resistant inner liner.

# **Recommended storage material**

Always store in containers of the same material as the original container.

# **Storage temperature**

Room temperature 18 to 23°C

# **Incompatible materials**

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

# 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

hydrochloric acid

Long term exposure limit (8 hours) (ppm): 1

Long term exposure limit (8 hours) (mg/m³): 2

Short term exposure limit (15 minutes) (ppm): 5

Short term exposure limit (15 minutes) (mg/m³): 8

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020).

# **DNEL**

# hydrochloric acid

Duration	Route of exposure	DNEL
Long term – Local effects - Workers	Inhalation	8 mg/m³
Short term – Local effects - Workers	Inhalation	15 mg/m³

### **PNEC**

No data available

# 8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

#### **General recommendations**

Smoking, drinking and consumption of food is not allowed in the work area.

### **Exposure scenarios**

There are no exposure scenarios implemented for this product.

### **Exposure limits**

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

# **Appropriate technical measures**

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure emergency eyewash and -showers are clearly marked.

# **Hygiene measures**

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

# Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

# Individual protection measures, such as personal protective equipment Generally

Wash contaminated clothing before reuse.

Use only UKCA marked protective equipment.

# **Respiratory Equipment**

Work situation	Туре	Class	Colour	Standards	
In case of inadequate ventilation	В	Class 2 (medium capacity)	Gray	EN14387	

# **Skin protection**

Recommended	Type/Category	Standards	
Dedicated work clothing should be worn.	-	-	P

# **Hand protection**

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile	-	> 480	EN374-2, EN374-3, EN388	

# **Eye protection**

Type	Standards	
Face shield alternatively safety glasses with side shields.	EN166	

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

**Physical state** 

Liquid

### Colour

Colourless

Rust Remover Acid Page 5 of 11

#### **Odour / Odour threshold**

Sharp/pungent

pН

1

# Density (g/cm³)

1.11

#### **Kinematic viscosity**

Testing not relevant or not possible due to nature of the product.

### **Particle characteristics**

Does not apply to liquids.

#### **Phase changes**

### Melting point/Freezing point (°C)

Testing not relevant or not possible due to nature of the product.

### Softening point/range (waxes and pastes) (°C)

Does not apply to liquids.

### **Boiling point (°C)**

Testing not relevant or not possible due to nature of the product.

### Vapour pressure

Testing not relevant or not possible due to nature of the product.

# **Relative vapour density**

Testing not relevant or not possible due to nature of the product.

## **Decomposition temperature (°C)**

Testing not relevant or not possible due to nature of the product.

### Data on fire and explosion hazards

### Flash point (°C)

Testing not relevant or not possible due to nature of the product.

#### Ignition (°C)

Testing not relevant or not possible due to nature of the product.

# **Auto flammability (°C)**

Testing not relevant or not possible due to nature of the product.

# Lower and upper explosion limit (% v/v)

Testing not relevant or not possible due to nature of the product.

# **Solubility**

# **Solubility in water**

Completely soluble

### n-octanol/water coefficient

Testing not relevant or not possible due to nature of the product.

# Solubility in fat (g/L)

Testing not relevant or not possible due to nature of the product.

### 9.2. Other information

### Other physical and chemical parameters

No data available

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No data available

# 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

# 10.3. Possibility of hazardous reactions

No special

# 10.4. Conditions to avoid

No special

# 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.



# 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

# SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

# **Acute toxicity**

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation

Causes severe skin burns and eye damage.

### Serious eye damage/irritation

Causes serious eye damage.

#### **Respiratory sensitisation**

Based on available data, the classification criteria are not met.

#### **Skin sensitisation**

Based on available data, the classification criteria are not met.

### **Germ cell mutagenicity**

Based on available data, the classification criteria are not met.

### Carcinogenicity

Based on available data, the classification criteria are not met.

### **Reproductive toxicity**

Based on available data, the classification criteria are not met.

# **STOT-single exposure**

May cause respiratory irritation.

# **STOT-repeated exposure**

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

# 11.2. Information on other hazards

# Long term effects

This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

# **Endocrine disrupting properties**

No special

# Other information

hydrochloric acid has been classified by IARC as a group 3 carcinogen.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

Product/substance hydrochloric acid

Test method

Species Fish, Lepomis macrochirus

Compartment

Duration 24 hours
Test LC50
Result 20,5 mg/L

Other information

Product/substance

hydrochloric acid

Test method

Species Daphnia, Daphnia magna

Compartment

Duration 48 hours

Rust Remover Acid Page 7 of 11



Test EC50 Result 0,45 mg/L

Other information

Product/substance hydrochloric acid

Test method

Species Algae, Chlorella vulgaris

Compartment

Duration 72 hours
Test ErC50
Result 0,73 mg/L

Other information

# 12.2. Persistence and degradability

No data available

# 12.3. Bioaccumulative potential

Product/substance hydrochloric acid

Test method

Potential No

bioaccumulation

LogPow No data available BCF No data available

Other information

# 12.4. Mobility in soil

No data available

# 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

# 12.6. Endocrine disrupting properties

No special

# 12.7. Other adverse effects

No special

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste.

HP 5 - Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

HP 8 - Corrosive

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

### **EWC** code

07 06 04\* Other organic solvents, washing liquids and mother liquors

# **Specific labelling**

Not applicable

# **Contaminated packing**

Packaging containing residues of the product must be disposed of similarly to the product.

# **SECTION 14: Transport information**

Rust Remover Acid Page 8 of 11



	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information
ADR	UN1789	HYDROCHLORIC ACID	Class: 8 Labels: 8 Classification code: C1	III	No	Limited quantities: 5 L Tunnel restriction code: (E) See below for additional information.
IMDG	UN1789	HYDROCHLORIC ACID	Class: 8 Labels: 8 Classification code: C1	III	No	Limited quantities: 5 L EmS: F-A S-B See below for additional information.
IATA	UN1789	HYDROCHLORIC ACID	Class: 8 Labels: 8 Classification code: C1	III	No	See below for additional information.

<sup>\*</sup> Packing group

#### **Additional information**

ADR / See Table A, Section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See the Dangerous Goods List, section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

This product is within scope of the regulations of transport of dangerous goods.

# 14.6. Special precautions for user

Not applicable

# 14.7. Maritime transport in bulk according to IMO instruments

No data available

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Restrictions for application

Restricted to professional users.

People under the age of 18 shall not be exposed to this product.

# **Demands for specific education**

No specific requirements

# **SEVESO - Categories / dangerous substances**

hydrochloric acid

# **Regulation on drug precursors**

hydrochloric acid is included (Category 3)

### **Additional information**

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down

Rust Remover Acid Page 9 of 11

<sup>\*\*</sup> Environmental hazards



in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

#### **Sources**

The Management of Health and Safety at Work Regulations 1999

Regulation (EC) No 648/2004 on detergents as retained and amended in UK law.

Control of Major Accident Hazards (COMAH) Regulations 2015.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

The Controlled Drugs (Drug Precursors) Regulations 2008

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

### 15.2. Chemical safety assessment

No

### **SECTION 16: Other information**

# Full text of H-phrases as mentioned in section 3

H290, May be corrosive to metals.

H302, Harmful if swallowed.

H314, Causes severe skin burns and eye damage.

H318, Causes serious eye damage.

H335, May cause respiratory irritation.

H412, Harmful to aquatic life with long lasting effects.

### **Abbreviations and acronyms**

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the

Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

Rust Remover Acid



SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

**UN = United Nations** 

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

# **Additional information**

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The classification of the substance/mixture in regard of skin corrosion and serious eye damage is based on the pH-criterion given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

# The safety data sheet is validated by

Åsa Möller

### **Other**

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en